AUX
AIR CONDITIONER



CREATING INTELLIGENT LIFE

Wall Mounted Split Air Conditioner

T1 Inverter (R 32)

AUX AIR CONDITIONER



	Product Model	AWH12A4DI-A2AE	AWH18A4DI-A2AE	AWH24C4DI-A2AE
	Indoor / Outdoor	AWH12A4DI-A2AE / AH12A4DI-A2AE	AWH18A4DI-A2AE / AH18A4DI-A2AE	AWH24C4DI-A2AE / AH24C4DI-A2AE
Cooling Capacity T1	Btu/h	12000	18000	24000
Heating Capacity T1	Btu/h	13204	18000	24000
EER T1	Btu/w	9.72	9.96	12.01
Climate Class		T1	T1	T1
Compressor		Rotary (Inverter)	Rotary (Inverter)	Rotary (Inverter)
Refrigerant		R 32	R 32	R 32
Indoor Unit	Width (mm)	776	1002	1145
	Depth (mm)	298	318	331
	Height (mm)	202	223	230
	Weight (kg)	8	11	13
Outdoor Unit	Height (mm)	705	785	830
	Width (mm)	279	555	655
	Depth (mm)	530	300	315
	Weight (kg)	20	27	31.5
Container Loading	40HC	269	202	160

Features

*NEW BATCH *NEW BATCH

- WIFI Function
- 4D Wind
- FAST Cooling
- Easy Installstion
- Easy Maintain
- Handing Level
- The Fifth Generation Of Self-cleaning
- Wide Voltage
- Mute Remote Control
- Soft
- I-Feel
- Ampere Control Function

Wall Mounted Split Air Conditioner

T1 Inverter (R 410A)

AUX AIR CONDITIONER



	Product Model	AWH12A4R1DI-A2AE	AWH18B4R1DI-A2AE	AWH24A4R1DI-A2AE
	Indoor / Outdoor	AWH12A4R1DI-A2AE / AH12A4R1DI-A2AE	AWH18B4R1DI-A2AE / AH18B4R1DI-A2AE	AWH24A4R1DI-A2AE / AH24A4R1DI-A2AE
Ampere Control	A	9-7.5-6-5-4	7.7-6.4-5.2-4.3-3.4	4.8-4-3.2-2.65-2.12
Cooling Capacity T1	Btu	12000	18084	23543
Heating Capacity H1	Btu	13204	17060	24566
EER T1	Btu/w	9.7	9.5	9.6
Climate Class		T1	T1	T1
Compressor		Rotary (Inverter)	Rotary (Inverter)	Rotary (Inverter)
Refrigerant		R 410 A	R 410 A	R 410 A
Indoor Unit(Net)	Width (mm)	768	1002	1145
	Depth (mm)	299	318	331
	Height (mm)	200	223	230
	Weight (kg)	8	11.5	13.5
Outdoor Unit(Net)	Height (mm)	754	785	900
	Width (mm)	530	555	700
	Depth (mm)	279	300	350
	Weight (kg)	22.5	27	39
Container Loading	20/40/40HC	266	202	140

Features

*NEW BATCH *NEW BATCH

- WIFI Function
- 4D Wind
- Golden Fin
- FAST Cooling
- Self Cleaning
- Precise Temp. control
- Ref. Leak Protection
- Fault code display

Ampere Control Function

Wall Mounted Split Air Conditioner

T3 Piston (R22)

AUX AIR CONDITIONER



YKR-T/121E

Product Model		ATW18A4-B7AE	ATW24B4-C0AE	ATW30A4-B6AE	ATW36B4-COAE
	Indoor / Outdoor	ATW18A4-B7AE / AT18A4-B7AE	ATW24B4-C0AE / AT24B4-C0AE	ATW30A4-B6AE / AT30A4-B6AE	ATW36B4-COAE / AT36B4-COAE
Cooling Capacity T1	Btu/h	18424	25250	30025	35140
Cooling Capacity T3	Btu/h	15763	20000	26273	25590
EER	Btu/w	9.69	10.5	8.6	10.5
Climate Class		T3	T3	T3	T3
Compressor		Piston	Piston	Piston	Piston
Refrigerant		R 22	R 22	R 22	R 22
Indoor Unit(Net)	Width (mm)	960	1089	1250	1250
	Depth (mm)	316	328	358	358
	Height (mm)	212	227	253	253
	Weight (kg)	11.5	13	16	16.5
Outdoor Unit(Net)	Height (mm)	825	970	970	970
	Width (mm)	655	803	805	805
	Depth (mm)	310	370	395	395
	Weight (kg)	53	69.5	70	76.5
Container Loading	40HC	164	107	97	97

Features

- Golden Fin
- Self Cleaning
- Precise Temp. control
- Ref. Leak Protection
- Fault code display

★NEW BATCH

4D Wind

Floor Standing Split Air Conditioner

T3 On-Off （R 410A）

AUX AIR CONDITIONER





YKR-T/121E

	Product Model	ATFH24A4R1 -B9AE	ATFH36A4R1 -B8AE	ATFH48A5R1 -B5AE	ATFH60A5R1 -B6AE
	Indoor / Outdoor	ATFH24A4R1-B9AE / ATF24A4R1-B9AE	ATFH36A4R1-B8AE / ATF36A4R1-B8AE	ATFH48A5R1-B5AE / ATF48A5R1-B5AE	ATFH60A5R1-B6AE / ATF60A5R1-B6AE
Cooling Capacity T1	Btu/h	24054	32414	40940	40946
Heating Capacity H1	Btu/h	25931	34802	42991	48791
EER T1	Btu/w	9.72	10.24	9.62	8.53
Climate Class		T3	T3	T3	T3
Compressor		Rotary	Rotary	Rotary	Scroll
Refrigerant		R 410 A	R 410 A	R 410 A	R 410 A
Indoor Unit(Net)	Width (mm)	506	580	580	580
	Depth (mm)	1780	1925	1925	1925
	Height (mm)	315	400	400	400
	Weight (kg)	38	54	54	54
Outdoor Unit(Net)	Height (mm)	900	1320	1320	1320
	Width (mm)	700	940	940	940
	Depth (mm)	350	340	340	340
	Weight (kg)	51	84	97	92.5
Container Loading	40HC	77	45	45	45

Features

Golden Fin

Self Cleaning

Precise Temp. control

Ref. Leak Protection

Fault code display

4D Wind

Wall Mounted Split Air Conditioner

T3 On-Off(Rotary) R 410A

AUX AIR CONDITIONER



YKR-T/121E

Product Model		ATW12QGA4R1-C4	ATW18QGB4R1-C0	ATW24QGB4R1-C0
	Indoor / Outdoor	ATW12QGA4R1-C4/ AT12QGA4R1-C4	ATW18QGB4R1-C0/ AT18QGB4R1-C0	ATW24QGB4R1-C0/ AT24QGB4R1-C0
Cooling Capacity T1	Btu/h	11772	18000	23270
EER T3	Btu/w	9.7	10.71	10.5
Climate Class		T3	T3	T3
Compressor		Rotary	Rotary	Rotary
Refrigerant		R 410 A	R 410 A	R 410 A
Indoor Unit(Net)	Width (mm)	816	960	1089
	Depth (mm)	295	315	328
	Height (mm)	198	222	227
	Weight (kg)	8.5	12	13
Outdoor Unit(Net)	Height (mm)	920	985	1015
	Width (mm)	400	400	400
	Depth (mm)	620	695	695
	Weight (kg)	31	40	51
Container Loading	40HQ	218	175	144

Features

- Golden Fin
- Self Cleaning
- Precise Temp. control
- Ref. Leak Protection
- Fault code display
- 4D WIND

Wall Mounted Split Air Conditioner

T3 On-Off Scroll (R 410A)

AUX
AIR CONDITIONER



YKR-T/121E

	Product Model	ATW24MAA4R1-C0	ATW30CAA4R1-C1	ATW36CAA4R1-C1
	Indoor / Outdoor	ATW24MAA4R1-C0 /AT24MAA4R1-C0	ATW30CAA4R1-C1 /AT30CAA4R1-C1	ATW36CAA4R1-C1 /AT36CAA4R1-C1
Cooling Capacity T1	Btu/h	24000	30000	35145
Cooling Capacity T3	Btu/h	19100	25250	25591
EER T1	Btu/w	10.57	11.08	10.4
Climate Class		T3	T3	T3
Compressor		Scroll	Scroll	Scroll
Refrigerant		R 410A	R 410A	R 410A
Indoor Unit(Net)	Width (mm)	1140	1250	1460
	Depth (mm)	334	358	375
	Height (mm)	229	253	270
	Weight (kg)	13	16	20
Outdoor Unit(Net)	Height (mm)	970	970	970
	Width (mm)	805	805	805
	Depth (mm)	395	395	395
	Weight (kg)	63	66	73.5
Container Loading	40HC	109	100	92

Features

- Golden Fin
- Self Cleaning
- Precise Temp. control
- Ref. Leak Protection
- Fault code display
- 4D WIND

AUX

AUX UAE WEBSITE

www.auxair.com/ae