Welcome to visit/follow

Gree Global Platform

Gree Global | GreeGlobal | Gree Global | Gree Electric Appliances, Inc. of Zhuhai | Gree Global | Gree Global | gree_global | global.gree.com | www.tosot.com.cn | support.gree.com | https://gpip.gree.com/global-login

Note:
Gree is committed to continuously improving its products to ensure the highest quality and reliability standards, and to meet local regulations and market requirements.
All features and specifications are subject to change without prior notice.
All images provided in this catalogue are used for illustration purposes only.
Copyright© Gree Electric Appliances, Inc. of Zhuhai. All rights reserved.

GC-2605-10


GREE ELECTRIC APPLIANCES, INC. OF ZHUHAI
Contact add: West Jinji Rd, Qianshan, Zhuhai, Guangdong, China 519070
Tel: (+86-756) 852 2218 Fax: (+86-756) 8614998
Email: gree@cn.gree.com https://global.gree.com

HONG KONG GREE ELECTRIC APPLIANCES SALES LIMITED
Add: Unit 2612, 26/F, Mira Place Tower A 132 Nathan Road, TsimshaTsui, Kowloon, Hong Kong
Tel: (852) 3165 8898 Fax: (852) 3165 1029



ABOUT GREE

GREE Electric Appliances, Inc. of Zhuhai was founded in 1991 and was listed on the Shenzhen Stock Exchange in November 1996. At the beginning, GREE was only a company that assembled residential air conditioners. Now it has grown into a diversified global technological industrial group that has expanded its business to household consumer goods and industrial equipment under three brands: GREE, KINGHOME and TOSOT.



2025

GREE's total operating revenue reached **171.118 billion yuan.**

GREE ranked **346 in the list of Forbes Global 2000.**

GREE was ranked **on the Forbes 2025 World's Best Employers List 2025.**

2024

GREE's gross revenue was **26.69 billion USD.**

GREE ranked **334 in the list of Forbes Global 2000.**

2023

GREE's sales revenue in 2023 exceeded **29.08 billion** USD, up by **7.82%** year-on-year.

GREE entered into the list of Forbes Global 2000 again and **ranked 331, up 25 places compared with the previous year.**

2022

GREE has ranked the **487th** on the list of **Fortune Global 500.**

2019

GREE entered into **Fortune Global 500**. GREE's return on equity (ROE) ranked the first among the 129 Chinese enterprises on the list.

2018

GREE entered into the list of **Forbes Global 2000** again and ranked **No. 294**, moving up 70 places compared with the previous year.

GREE's sales revenue exceeded **30.23 billion** USD.

2017

GREE's sales revenue exceeded **22.21 billion** USD.

2016

GREE's sales revenue exceeded **16.51 billion** USD.

GREE products are sold widely to more than 190 countries and regions. Action makes the future and innovation makes achievement. Looking forward, GREE will press ahead with its business philosophy of passion, innovation and realization. We aim to build a centenary air conditioning enterprise and create a better life for humankind.

CONTENTS

23 Side-by-side

27 Multi-door

- French style 4-door
- French style 5-door
- Cross-door

41 Two-door & single-door

49 Freezer

FLUSH-MOUNTED REFRIGERATOR



Flush-mounted design

60cm
Ultra-slim Body Thickness

With an ultra-slim body thickness of ⩽60cm, the refrigerator sits perfectly flush with standard kitchen cabinets for a sleek, harmonious look.



Zero-gap side integration

Featuring bottom heat dissipation, it eliminates side gaps to ensure a tight and seamless fit against cabinetry.

90° Right-angle door opening

Equipped with dual-axis variable-track hinges for smooth and precise 90-degree door opening.



High volume-to-size ratio

The ultra-slim design maintains large capacity without compromising storage space, maximizing spatial efficiency.



ZERO-CLEARANCE EMBEDDED REFRIGERATOR



Dual-channel circulation cooling

Bottom-front heat dissipation combined with rear upward heat dissipation ensures stable cooling and reliable refrigeration performance. This design replaces the traditional side-and-top heat dissipation structure, eliminating gaps to prevent dust accumulation for a clean, sleek appearance that seamlessly integrates aesthetics with high performance.



90° Right-angle door opening


Equipped with dual-axis variable-track hinges for smooth and precise 90-degree door opening.



High volume-to-size ratio


The ultra-slim design maintains large capacity without compromising storage space, maximizing spatial efficiency.

DUAL-CIRCUIT



Independent Dual-Zone Circulation

Each zone features its own dedicated cooling system and air duct, supplying cold air separately.



Odor Prevention at the Source

Physical isolation between zones prevents air mixing, effectively eliminating odor transfer.

Precise Independent Temperature Control

Each zone operates with independent temperature regulation, preventing cross-influence between compartments.



Quiet & Long-Lasting Operation

Distributed cooling load ensures smoother operation, reducing noise and extending the refrigerator’s lifespan.





LIGHT OXYGEN HYDRA-TION REFRESHING:

Innovative PVA Atmosphere Control Film

Equipped with newly developed polar molecule PVA humidity and atmosphere control film material, upgrading the underlying preservation technology.


126 times

High-Efficiency Moisture Locking


With moisture permeability 126 times that of standard humidity control films, it maintains stable and long-term humidity inside the compartment. This significantly reduces water loss in fruits and vegetables, preventing leaves from wilting and fruits from shriveling.

Precise Oxygen Control & Regulation

Oxygen permeability is reduced by 99.9% compared to ordinary humidity control films. It autonomously lowers oxygen concentration in the compartment, creating a “light-oxygen” fresh-keeping environment.



Industry of the same kind




GREE control wet film


Micro-Sleep Preservation for Produce

By regulating oxygen and carbon dioxide levels within the compartment, it slows down the respiration rate of fruits and vegetables, delaying spoilage and aging.

O_2 transmittance(cm^3/m^2*24h)



CO_2 transmittance(cm^3/m^2*24h)



Comparison of gas transmission rate between similar membrane and Gree controlled wet membrane in industry


Nutrient Retention

Significantly reduces the loss of key nutrients such as sugars, organic acids, firmness, and Vitamin C.




Extended Fresh-Keeping Period

Real-world tests show superior freshness retention for items like spinach and strawberries compared to standard produce compartments, effectively extending the storage life of fruits and vegetables.



Sweet and juicy
Low oxygen concentration keeps pulp crystal clear.



Fruit becomes shriveled and rots
Shell dries out and turns brown, flesh decays.

PHOTOSYNTHESIS HYDRATION REFRESHING

Self-developed


Polar PVA Humidity Control Film

90% RH

Automatic humidification for empty compartment, no manual water-adding required

95±3% RH

Stable humidity maintained for fruits and vegetables storage



Self-developed

Fresh Air Temperature & Humidity Control Module

90%–95% RH

Draws in external humidity to maintain this humidity range for the compartment even when empty. It avoids produce dehydration and wilting for small-quantity stored fruits and vegetables.



Dual-Spectrum Photosynthesis Freshness Preservation Lamp

Keeps fruits and vegetables plump, crisp, fresh-tasting, and vibrant in color by reducing chlorophyll degradation through reasonable photosynthesis. It converts excess nutrients into nourishment, promotes metabolism, degrades nitrites, and transforms moisture and carbon dioxide in the space into nutrients.

Extended Freshness Preservation Period

10+ Days

Most fruits & vegetables stay fresh.
Tested on 100+ types, for weekly household stocking.

TENDER FREEZING TECHNOLOGY 2.0

Supercooling Freezing Technology

34%

Synchronous ice crystal formation inside and outside cells results in fine and uniform ice crystals. This effectively inhibits microorganisms, reduces cell damage, and decreases juice loss by up to 34%.

Windless Instant Freezing & Rapid Freshness Lock

Equipped with precision thermal conduction temperature control technology, it quickly penetrates food ingredients to preserve their inherent freshness.



14-Day Long-Term Freshness Lock

Delays meat drying and oxidation, keeping it tender and fresh even after long-term storage.

Low-Loss Ingredient Preservation

Significantly reduces surface dry loss and discoloration of meat, minimizing nutrient and flavor loss.

No Thawing Required for Immediate Use

Frozen meat is easy to slice, eliminating long thawing waits and bloody water leakage.



-33℃ DEEP FREEZING



Uniform Deep Freezing Fresh-Locking

Maintains a stable low-temperature environment at -33℃ to long-term preserve the original taste and nutrition of ingredients.



Slow Freezing to Protect Freshness

Forms dense ice crystals to reduce meat juice loss, ensuring a tender texture.



Large Capacity for Worry-Free Stocking

Allows bulk storage of poultry, livestock, and seafood, meeting daily and long-term reserve needs.



Anti-Oxidation and Anti-Drying Storage

Effectively delays oxidation and discoloration of meat and seafood, keeping them fresh during long-term storage.



Stable Temperature Control for Energy Savings

Balances deep-freeze preservation with energy efficiency, making long-term storage economical and worry-free.

-38 ° C SUPER FREEZING

-38℃ Ultra-Low Temperature Hard-Core Cooling


Utilizes a wide-frequency fully enclosed piston compressor and inverter control system. The compressor speed is increased by 50% compared to industry standards, achieving stable ultra-low temperature operation.

50%




Rapid Freezing for Freshness Lock

Greatly shortens ice crystal formation time, completing super freezing fresh-locking quickly. This minimizes cell damage, preserving meat texture and nutrition to the maximum extent.




Long-Term Freshness with Original Taste

The low-temperature environment strongly inhibits bacterial growth and ingredient oxidation. Meat and seafood remain non-dry and non-chewy after long storage, locking in original freshness and flavor.



Inverter Intelligent Temperature Control

Upgraded inverter system provides precise temperature control, offering higher cooling efficiency while balancing strong freezing power and energy-saving performance.



PLASMA
STERILIZATION & DEODORIZATION

High-Concentration Ion Protection

>6 million/cm²

Releases active ions at >6 million/cm², strongly destroying bacterial cell membranes and inhibiting bacterial reproduction.



All-Round Active Sterilization

Plasma ion clouds diffuse with air circulation, covering every corner of the refrigerator compartments without blind spots.



Dual-Efficiency Purification (Air + Surface)

Simultaneously eliminates free-floating bacteria in the air and attached bacteria on ingredients and cabinet walls, blocking cross-contamination.



High-Efficiency Sterilization Performance

Up to 99%

Sterilization rate against E. coli and Staphylococcus aureus, safeguarding food safety.



HCP
STERILIZATION & DEODORIZATION

High-Concentration Ion Protection

>6 million/cm²

Releases active ions at >6 million/cm², strongly destroying bacterial cell membranes and inhibiting bacterial reproduction.




All-Round Active Sterilization

Plasma ion clouds diffuse with air circulation, covering every corner of the refrigerator compartments without blind spots.



Dual-Efficiency Purification (Air + Surface)

Simultaneously eliminates free-floating bacteria in the air and attached bacteria on ingredients and cabinet walls, blocking cross-contamination.



High-Efficiency Sterilization Performance

Up to 99%

Sterilization rate against E. coli and Staphylococcus aureus, safeguarding food safety.



15-Minute Rapid Deodorization

Quickly decomposes odor molecules, eliminating cross-flavor issues and preserving the original fresh aroma of ingredients for a long time.



24/7 MONITORING · REAL-TIME VISUALIZATION

Visual sterilization technology to display real-time sterilization operation status.





Side by Side


- Super huge storage capacity
- Bottom heat dissipation
- Layered shelf
- Four fully opened drawer with stainless slide rail
- Independent double circulation
- 90 ° angle for door opening
- Energy saving
- Ion deodorization system
- Photosynthetic fresh-keeping
- Intelligent inverter technology to adjust
- Fresh fridge moisture-keeping
- Total no frost



BCD-502WPDGA

Total Capacity (L)	502
Fridge Capacity (L)	186
Freezer Capacity (L)	158
Other Compartment Capacity (L)	134
Freezing Capacity (kg/24h)	3.5
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	908*645*1780
Packaging Dimensions (W*D*H mm)	966*709*1885
Net/Gross Weight (kg)	102/112
Container Load Quantity (40HQ)	48

-33℃ Deep Freezing Fresh-Locking Technology
Deodorization & Sterilization System
60cm Slim Body Design
Bottom Front Heat Dissipation
Scientific Zoned Storage
Low Energy Consumption Operation
Dual Inverter System



BCD-540WKNCE1DPDCA

Total Capacity (L)	540
Fridge Capacity (L)	355
Freezer Capacity (L)	161
Other Compartment Capacity (L)	24
Freezing Capacity (kg/24h)	/
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	908*643*1780
Packaging Dimensions (W*D*H mm)	966*709*1855
Net/Gross Weight (kg)	/
Container Load Quantity (40HQ)	48

-33℃ Deep Freezing Fresh-Locking Technology
360° Surrounding Air Supply
Long-lasting Ion Antibacterial & Deodorization
Natural Rock Pattern Artistic Panel
64cm Slim Body
Intelligent All-Time Inverter
Low Noise Operation
90° Right-Angle Door Opening Design



BCD-541WPDGA

Total Capacity (L)	541
Fridge Capacity (L)	355
Freezer Capacity (L)	162
Other Compartment Capacity (L)	4.5
Freezing Capacity (kg/24h)	/
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	908*643*1780
Packaging Dimensions (W*D*H mm)	966*709*1855
Net/Gross Weight (kg)	92/100
Container Load Quantity (40HQ)	48

-33℃ Deep Freezing Fresh-Locking Technology
Humidity Control Drawer
PST+ Intelligent Purification
540mm Ultra-Slim Body
Glacier White Artistic Panel
Dual Inverter System
Low Noise Operation



BCD-600WGNDE1DPDGB

Total Capacity (L)	600
Fridge Capacity (L)	393
Freezer Capacity (L)	173
Other Compartment Capacity (L)	34
Freezing Capacity (kg/24h)	5.5kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	907*695*1780
Packaging Dimensions (W*D*H mm)	966*759*1855
Net/Gross Weight (kg)	102/110
Container Load Quantity (40HQ)	48

-33℃ Deep Freezing Fresh-Locking Technology
Multi-Stage Humidity Control Space
PST+ Intelligent Purification
540mm Ultra-Slim Body
Glacier White Artistic Panel
Large Capacity with Fine Partitioning
Dual Inverter System
Low Noise Operation
-33℃ Deep Freezing Fresh-Locking Technology



Multi-door

- French four-door design
- Intelligent inverter technology
- Large drawer with humanized design
- Total no frost
- Large-width refrigeration space
- With fresh room for vegetables and fruits
- 90° angle for door opening
- With ECO function
- Photocatalytic technology
- Low noise
- With ion deodorization system
- Double crispers design



BCD-456WGLAG1SPSGA

Total Capacity (L)	456
Fridge Capacity (L)	268
Freezer Capacity (L)	169
Other Compartment Capacity (L)	19
Freezing Capacity (kg/24h)	8.5
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	765*695*1815
Packaging Dimensions (W*D*H mm)	845*764*1914
Net/Gross Weight (kg)	102/111
Container Load Quantity (40HQ)	56

-38℃ Super Freezing Freshness Preservation Technology
Light Oxygen Hydration Refreshing Technology
Three-Level Temperature Adjustment
Exclusive Constant-Temperature Zone for Mothers & Infants
PLASMA All-Round Sterilization & Deodorization System
Intelligent Full Inverter System



BCD-466WGLAG1FPSGB

Total Capacity (L)	466
Fridge Capacity (L)	272
Freezer Capacity (L)	175
Other Compartment Capacity (L)	19
Freezing Capacity (kg/24h)	8kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	765*695*1815
Packaging Dimensions (W*D*H mm)	845*764*1914
Net/Gross Weight (kg)	103/113
Container Load Quantity (40HQ)	56

-38℃ Super Freezing Freshness Preservation Technology
Light Oxygen Hydration Refreshing Technology
Exclusive Constant-Temperature Zone for Mothers & Infants
Three-Level Temperature Adjustment
PLASMA All-Round Sterilization & Deodorization System
Elegant Hidden Smart Touch Control Panel
Metal Uniform Cooling Back Plate



BCD-512WGNAK3SPSGB

905 mm

Total Capacity (L)	513
Fridge Capacity (L)	307
Freezer Capacity (L)	171
Other Compartment Capacity (L)	35
Freezing Capacity (kg/24h)	/
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	905*600*1905
Packaging Dimensions (W*D*H mm)	978*655*2010
Net/Gross Weight (kg)	/
Container Load Quantity (40HQ)	42

-38℃ Super Freezing Freshness Preservation Technology
Light Oxygen Hydration Refreshing Technology
Three-Level Temperature Adjustment
Exclusive Constant-Temperature Zone for Mothers & Infants
PLASMA All-Round Sterilization & Deodorization System
Energy Saving
Low Noise
Intelligent Full Inverter
-33℃ Deep Freezing Fresh-Locking Technology
Metal Uniform Cooling Back Plate
Seamless Flush-Mounted Design



BCD-516WGMAM3SPSGA

830 mm

Total Capacity (L)	516
Fridge Capacity (L)	317
Freezer Capacity (L)	90
Other Compartment Capacity (L)	99
Freezing Capacity (kg/24h)	7.5kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	830*600*1905
Packaging Dimensions (W*D*H mm)	887*657*2000
Net/Gross Weight (kg)	121/132
Container Load Quantity (40HQ)	44

Zero-Distance Flush-Mounted Design
Microwave Radar Sensing Light
Whole-Space 3D Dual-System
-38℃ Super Freezing Freshness Preservation Technology
Light Oxygen Hydration Refreshing Technology
Four-Level Variable Temperature Control
PLASMA All-Round Sterilization & Deodorization System
Freezer Platinum Long-Lasting Antibacterial



BCD-518WGMCL1SPFGA

Total Capacity (L)	518
Fridge Capacity (L)	327
Freezer Capacity (L)	176
Other Compartment Capacity (L)	15
Freezing Capacity (kg/24h)	7
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	830*693*1902
Packaging Dimensions (W*D*H mm)	891*759*1993
Net/Gross Weight (kg)	133/144
Container Load Quantity (40HQ)	39

Photosynthesis Hydration Freshness Preservation Technology
Tender Freezing Technology 2.0
-38℃ Super Freezing Freshness Preservation Technology
HCP Whole-Space Sterilization & Deodorization
Four-Level Variable Temperature Control
Independent Sealed Premium Zone
Dot-Matrix Temperature Control
Human-Sensing Ambient Light



BCD-528WGMAM3SPSGA

830 mm

Total Capacity (L)	528
Fridge Capacity (L)	271
Freezer Capacity (L)	218
Other Compartment Capacity (L)	39
Freezing Capacity (kg/24h)	8.5kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	830*594*1925
Packaging Dimensions (W*D*H mm)	890*660*2020
Net/Gross Weight (kg)	117/127
Container Load Quantity (40HQ)	44

-38℃ Super Freezing Freshness Preservation Technology
PLASMA All-Round Sterilization & Deodorization System
Three-Level Temperature Adjustment
Energy Saving
38dB(A) Ultra-Quiet Operation
Seamless Flush-Mounted Design
Metal Cooling Back Plate
Straight-Open Drawer



BCD-526WGMAM3SPDCA

830 mm

Total Capacity (L)	526
Fridge Capacity (L)	310
Freezer Capacity (L)	216
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	8.5kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	830*594*1925
Packaging Dimensions (W*D*H mm)	890*660*2020
Net/Gross Weight (kg)	113/123
Container Load Quantity (40HQ)	44

-38℃ Super Freezing Freshness Preservation Technology
PLASMA All-Round Sterilization & Deodorization System
Three-Level Temperature Adjustment
Energy Saving
38dB(A) Ultra-Quiet Operation
Seamless Flush-Mounted Design
Metal Cooling Back Plate
Straight-Open Drawer



BCD-528WGMAM3FPSGA

830 mm

Total Capacity (L)	528
Fridge Capacity (L)	317
Freezer Capacity (L)	90
Other Compartment Capacity (L)	99
Freezing Capacity (kg/24h)	7.5kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	830*600*1905
Packaging Dimensions (W*D*H mm)	887*657*2000
Net/Gross Weight (kg)	121/132
Container Load Quantity (40HQ)	44

Double-Layer Drawer-Type Freezer Design
Seamless Flush-Mounted Design
Seamless Flush-Mounted Design
-38℃ Super Freezing Freshness Preservation Technology
PLASMA All-Round Sterilization & Deodorization System
Independent Three-Level Electronic Variable Temperature Compartment



BCD-538WGMAM3FPSGA

830 mm

Total Capacity (L)	538
Fridge Capacity (L)	320
Freezer Capacity (L)	218
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	8.5kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	830*594*1925
Packaging Dimensions (W*D*H mm)	890*660*2020
Net/Gross Weight (kg)	130/140
Container Load Quantity (40HQ)	44

Independent Dual-Cycle Refrigeration System
Precise Temperature Control
Odor-Free Separation
Seamless Flush-Mounted Design
-38℃ Super Freezing Freshness Preservation Technology
Light Oxygen Hydration Refreshing Technology
PLASMA All-Round Sterilization & Deodorization System
Freezer Platinum Long-Lasting Antibacterial
Microwave Radar Sensing Light



BCD-303WKJAG1FPBCA

Total Capacity (L)	303
Fridge Capacity (L)	169
Freezer Capacity (L)	134
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	2.5
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	626*638*1815
Packaging Dimensions (W*D*H mm)	700*713*1919
Net/Gross Weight (kg)	65/74
Container Load Quantity (40HQ)	69

-33℃ Deep Freezing Fresh-Locking Technology
Long-lasting Ion Antibacterial & Deodorization
Intelligent Full Inverter System
Precise Temperature Control
Energy Saving
35dB Low Noise Operation
90° Right-Angle Door Opening Design



BCD-421WGLAG1SPBGB

Total Capacity (L)	421
Fridge Capacity (L)	267
Freezer Capacity (L)	154
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	5
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	765*645*1813.5
Packaging Dimensions (W*D*H mm)	845*725*1914
Net/Gross Weight (kg)	88/96
Container Load Quantity (40HQ)	58

The first layer of freezing compartment is partitionless (drawerless)
-33℃ Deep Freezing Fresh-Locking Technology
Dual Inverter System
3D Frost-Free Breeze
Long-lasting Ion Antibacterial & Deodorization
90° Right-Angle Door Opening Design



BCD-422WGLAG1SPDGA

Total Capacity (L)	422
Fridge Capacity (L)	225
Freezer Capacity (L)	157
Other Compartment Capacity (L)	40
Freezing Capacity (kg/24h)	5
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	763*650*1813.5
Packaging Dimensions (W*D*H mm)	845*725*1914
Net/Gross Weight (kg)	91/101
Container Load Quantity (40HQ)	57

The first layer of freezing compartment is partitionless (drawerless)
-33℃ Deep Freezing Fresh-Locking Technology
Three-Level Temperature Adjustment
40L Independent Variable Temperature Compartment
Baby Care Mode
Long-lasting Ion Antibacterial & Deodorization
Dual Inverter System



BCD-428WGLAG1FPDCL

Total Capacity (L)	428
Fridge Capacity (L)	227
Freezer Capacity (L)	161
Other Compartment Capacity (L)	40
Freezing Capacity (kg/24h)	5.5
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	763*650*1813.5
Packaging Dimensions (W*D*H mm)	845*725*1914
Net/Gross Weight (kg)	88/100
Container Load Quantity (40HQ)	58

Single-Cycle Air-Cooled Frost-Free

-33℃ Deep Freezing Fresh-Locking Technology

40L Electronic Wide-Range Variable Temperature Compartment

Long-lasting Ion Antibacterial & Deodorization

650mm Slim Body



BCD-430WGLAG1FPDGB

Total Capacity (L)	430
Fridge Capacity (L)	228
Freezer Capacity (L)	162
Other Compartment Capacity (L)	40
Freezing Capacity (kg/24h)	/
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	765*645*1813.5
Packaging Dimensions (W*D*H mm)	845*725*1914
Net/Gross Weight (kg)	/
Container Load Quantity (40HQ)	58

430L Large Capacity

Double-Layer Drawer-Type Freezer Design

64cm Slim Body Design

90° Right-Angle Door Opening Design

-33℃ Deep Freezing Fresh-Locking Technology

Three-Level Temperature Adjustment

Special Independent Constant-Temperature Compartment

Long-lasting Ion Antibacterial & Deodorization



BCD-506WGNAK3SPDGA

Total Capacity (L)	506
Fridge Capacity (L)	266
Freezer Capacity (L)	170
Other Compartment Capacity (L)	70
Freezing Capacity (kg/24h)	7kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	905*600*1910
Packaging Dimensions (W*D*H mm)	978*655*2010
Net/Gross Weight (kg)	110/122
Container Load Quantity (40HQ)	42

-33℃ Deep Freezing Fresh-Locking Technology

3D Frost-Free Breeze

Three-Level Temperature Adjustment

Long-lasting Ion Antibacterial & Deodorization

Dual Inverter System

Ultra-Thin Body

90° Right-Angle Door Opening Design



BCD-510WGNAK3SPSGU

905 mm

Total Capacity (L)	510
Fridge Capacity (L)	270
Freezer Capacity (L)	168
Other Compartment Capacity (L)	70
Freezing Capacity (kg/24h)	7kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	905*600*1905
Packaging Dimensions (W*D*H mm)	978*655*2010
Net/Gross Weight (kg)	113/122
Container Load Quantity (40HQ)	42

-33℃ Deep Freezing Fresh-Locking Technology

Three-Level Temperature Adjustment

4℃ Constant Temperature Zone for Maternal & Infant Use

Air-Cooled and Frost-Free

PLASMA All-Round Sterilization & Deodorization System

Intelligent Full Inverter System

Seamless Flush-Mounted Design



BCD-511WGNAK3SPSGA

905 mm

Total Capacity (L)	511
Fridge Capacity (L)	268
Freezer Capacity (L)	171
Other Compartment Capacity (L)	72
Freezing Capacity (kg/24h)	7kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	905*600*1905
Packaging Dimensions (W*D*H mm)	978*655*2010
Net/Gross Weight (kg)	113/122
Container Load Quantity (40HQ)	42

-33℃ Deep Freezing Fresh-Locking Technology
Three-Level Temperature Adjustment
4℃ Constant Temperature Zone for Maternal & Infant Use
Air-Cooled and Frost-Free
PLASMA All-Round Sterilization & Deodorization System
6 Independent Freezer Drawers
Seamless Flush-Mounted Design
90° Right-Angle Door Opening Design



BCD-536WGNCK2SPDGA

905 mm

Total Capacity (L)	536
Fridge Capacity (L)	277
Freezer Capacity (L)	185
Other Compartment Capacity (L)	74
Freezing Capacity (kg/24h)	8kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	905*625*1910
Packaging Dimensions (W*D*H mm)	967*683*2010
Net/Gross Weight (kg)	111/121
Container Load Quantity (40HQ)	36

-33℃ Deep Freezing Fresh-Locking Technology
Three-Level Temperature Adjustment
4℃ Constant Temperature Zone for Maternal & Infant Use
Air-Cooled and Frost-Free
Long-lasting Ion Antibacterial & Deodorization
Seamless Flush-Mounted Design
90° Right-Angle Door Opening Design



BCD-526WGMAM3SPDCA

905 mm

Total Capacity (L)	526
Fridge Capacity (L)	310
Freezer Capacity (L)	216
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	8.5kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	830*594*1925
Packaging Dimensions (W*D*H mm)	890*660*2020
Net/Gross Weight (kg)	119/129
Container Load Quantity (40HQ)	44

-38℃ Super Freezing Freshness Preservation Technology
3D Independent Dual-System
Long-lasting Ion Antibacterial & Deodorization
Dual Inverter Precise Tempera-ture Control
Three-Level Temperature Adjustment
6 Independent Freezer Drawers
Seamless Flush-Mounted Design



BCD-658WGNEK2SPDCB

905 mm

Total Capacity (L)	658
Fridge Capacity (L)	356
Freezer Capacity (L)	228
Other Compartment Capacity (L)	74
Freezing Capacity (kg/24h)	9kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	910*725*1910
Packaging Dimensions (W*D*H mm)	962*773*2010
Net/Gross Weight (kg)	107/119
Container Load Quantity (40HQ)	36

Zero-Clearance Seamless Embedded Design
Bottom Front Heat Dissipation
90° Right-Angle Door Opening Design
-33℃ Deep Freezing Fresh-Locking Technology
PLASMA All-Round Sterilization & Deodorization System
Three-Level Temperature Adjustment
Intelligent All-Time Dual Inverter
Energy Saving
Low Noise
Strip Surface Light Top Lamp



BCD-668WGNEK2SPDGA

905 mm

Total Capacity (L)	668
Fridge Capacity (L)	355
Freezer Capacity (L)	239
Other Compartment Capacity (L)	74
Freezing Capacity (kg/24h)	10kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	910*725*1910
Packaging Dimensions (W*D*H mm)	962*773*2010
Net/Gross Weight (kg)	124/136
Container Load Quantity (40HQ)	36

- Intelligent Inverter Technology
- Zero-Clearance Seamless Embedded Design
- Bottom Front Heat Dissipation
- -33℃ Deep Freezing Fresh-Locking Technology
- Air-Cooled and Frost-Free
- PLASMA All-Round Sterilization & Deodorization System
- Three-Level Temperature Adjustment



BCD-338WPFG

Total Capacity (L)	338
Fridge Capacity (L)	194
Freezer Capacity (L)	110
Other Compartment Capacity (L)	34
Freezing Capacity (kg/24h)	4Kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	626*688*1813
Packaging Dimensions (W*D*H mm)	688*764*1903
Net/Gross Weight (kg)	85/95
Container Load Quantity (40HQ)	69

- -5℃ Cellular-Level Fresh-Locking Technology
- Long-lasting Ion Antibacterial & Deodorization
- Dual Inverter Energy Saving & Quiet Operation
- Tempered Glass Panel
- Smart Touch Screen
- Smooth & Durable Drawer Rails
- Removable & Washable Door Seal
- Transparent Tray Design



BCD-340WPFGH

Total Capacity (L)	340
Fridge Capacity (L)	196
Freezer Capacity (L)	110
Other Compartment Capacity (L)	34
Freezing Capacity (kg/24h)	4Kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	626*688*1813
Packaging Dimensions (W*D*H mm)	688*764*1903
Net/Gross Weight (kg)	85/95
Container Load Quantity (40HQ)	69

- 3D Frost-Free Breeze
- Tender Freezing Technology 2.0
- Long-lasting Ion Antibacterial & Deodorization
- Dual Inverter Precise Tempera-ture Control
- Precise Temperature Control
- Precise Temperature Control
- Tempered Glass Panel
- Smart Touch Screen
- Tender Freezing Technology 2.0
- Removable & Washable Door Seal

Top Mount







BCD-290WGJAG1BPDCB

Total Capacity (L)	290
Fridge Capacity (L)	161
Freezer Capacity (L)	129
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	4.5kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	626*641*1815
Packaging Dimensions (W*D*H mm)	700*713*1924
Net/Gross Weight (kg)	61/68
Container Load Quantity (40HQ)	69

-33℃ Deep Freezing Fresh-Locking Technology

Long-lasting Ion Antibacterial & Deodorization

360° Surrounding Breeze, Air-Cooled and Frost-Free

Wear-Resistant & Stain-Resistant Tempered Glass Panel

4 Independent Freezer Drawers



BCD-290WGJAG1BPDGB

Total Capacity (L)	290
Fridge Capacity (L)	161
Freezer Capacity (L)	129
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	4.5kg/12h
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	626*641*1815
Packaging Dimensions (W*D*H mm)	700*713*1924
Net/Gross Weight (kg)	68/75
Container Load Quantity (40HQ)	69

-33℃ Deep Freezing Fresh-Locking Technology

Long-lasting Ion Antibacterial & Deodorization

Intelligent Full Inverter System

360° Surrounding Breeze, Air-Cooled and Frost-Free



BC-78KFAA1BMBCA

Total Capacity (L)	78
Fridge Capacity (L)	54
Freezer Capacity (L)	22
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	SN,N,ST
Product Dimensions (W*D*H mm)	480*523*845
Packaging Dimensions (W*D*H mm)	542*565*928
Net/Gross Weight (kg)	31/34
Container Load Quantity (40HQ)	226

Mini Size (Footprint only 0.25m²)

Low Noise

7-Level Temperature Adjustment

Food-Grade Inner Liner Material

Thickened Foaming Layer

Adjustable Balance Base



BCD-201WKGBC1BEBCA

Total Capacity (L)	198
Fridge Capacity (L)	126
Freezer Capacity (L)	72
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	1.5
Climate Type	SN,N,ST
Product Dimensions (W*D*H mm)	555*590*1550
Packaging Dimensions (W*D*H mm)	617*658*1625
Net/Gross Weight (kg)	47/52
Container Load Quantity (40HQ)	83

Long-lasting Ion Antibacterial & Deodorization

Separated Precision Temperature Control

Fixed Frequency Compressor

Precise Temperature Control

Low Noise

Energy Saving

3D Frost-Free Breeze

Dual-Temperature Independent Zoning

Stylish interior LED light

Removable bottle rack

Removable & Washable Door Seal



BCD-228WKGBD1BEBGA

Total Capacity (L)	228
Fridge Capacity (L)	134
Freezer Capacity (L)	94
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	2
Climate Type	SN,N,ST,T
Product Dimensions (W*D*H mm)	555*615*1662
Packaging Dimensions (W*D*H mm)	617*683*1747
Net/Gross Weight (kg)	57/64
Container Load Quantity (40HQ)	77

Fixed Frequency Compressor
Long-lasting Ion Antibacterial & Deodorization
Multi-Air Duct 3D Circulating Air Supply
Whole Space Air-Cooled & Frost-Free
Slim & Compact Body
Dual-Temperature Independent Zoning
Removable bottle rack
External Condenser
Adjustable Front Feet



GDFR-180R

Recessed handle / External handle

Total Capacity (L)	177 / 177
Fridge Capacity (L)	137 / 137
Freezer Capacity (L)	40 / 40
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	T / T
Product Dimensions (W*D*H mm)	524*619*1412 / 524*572*1412
Packaging Dimensions (W*D*H mm)	570*597*1460 / 570*597*1460
Net/Gross Weight (kg)	46/51 / 45/50
Container Load Quantity (40HQ)	140 / 140

Roll-bond evaporator
Built-in LED light
External Condenser
Adjustable Front Feet
Low Noise
Mechanical temperature control
Transparent door frame bottle
Recessed handle & external handle (optional)
Energy Saving
Defrost



GDFR-295R

Recessed handle / External handle

Total Capacity (L)	292 / 292
Fridge Capacity (L)	224 / 224
Freezer Capacity (L)	68 / 68
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	T / T
Product Dimensions (W*D*H mm)	599*644*1737 / 599*644*1737
Packaging Dimensions (W*D*H mm)	645*622*1790 / 645*622*1790
Net/Gross Weight (kg)	59/66 / 58/65
Container Load Quantity (40HQ)	76 / 76

Roll-bond evaporator
Built-in LED light
External Condenser
Adjustable Front Feet
Low Noise
Mechanical temperature control
Transparent door frame bottle
Recessed handle & external handle (optional)
Energy Saving
Defrost



GDFR-450R

Total Capacity (L)	432
Fridge Capacity (L)	325
Freezer Capacity (L)	107
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	T
Product Dimensions (W*D*H mm)	705*705*1821
Packaging Dimensions (W*D*H mm)	760*687*1865
Net/Gross Weight (kg)	71/77
Container Load Quantity (40HQ)	70

Roll-bond evaporator
Built-in LED light
External Condenser
Recessed handle & external handle (optional)
Energy Saving
Defrost
Mechanical temperature control
Transparent door frame bottle
Recessed handle & external handle (optional)
Adjustable Front Feet
Low Noise



GDFR-500WP

Total Capacity (L)	420
Fridge Capacity (L)	316
Freezer Capacity (L)	104
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	5
Climate Type	T
Product Dimensions (W*D*H mm)	704*701*1785
Packaging Dimensions (W*D*H mm)	760*738*1837
Net/Gross Weight (kg)	76/85
Container Load Quantity (40HQ)	67

Total no frost
Intelligent Full Inverter System
Electronic temperature control
LED display
Stylish interior LED light
Large storage capacity
Rotary ice box (optional)
External handle
Removable bottle rack
Energy Saving
Low Noise
90° Right-Angle Door Opening Design
Water dispenser (optional)



GDFR-600WP

Total Capacity (L)	500
Fridge Capacity (L)	372
Freezer Capacity (L)	128
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	6.5
Climate Type	T
Product Dimensions (W*D*H mm)	835.3*710*1785
Packaging Dimensions (W*D*H mm)	891*759*1844
Net/Gross Weight (kg)	88/100
Container Load Quantity (40HQ)	52

Total no frost
Intelligent Full Inverter System
Electronic temperature control
LED display
Stylish interior LED light
Large storage capacity
Rotary ice box (optional)
External handle
Removable bottle rack
Energy Saving
Low Noise
90° Right-Angle Door Opening Design
Water dispenser (optional)



GDFR-295R

Recessed handle / External handle

Total Capacity (L)	292 / 292
Fridge Capacity (L)	224 / 224
Freezer Capacity (L)	68 / 68
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	T / T
Product Dimensions (W*D*H mm)	599*644*1737 / 599*644*1737
Packaging Dimensions (W*D*H mm)	645*622*1790 / 645*622*1790
Net/Gross Weight (kg)	59/66 / 58/65
Container Load Quantity (40HQ)	76 / 76

Roll-bond evaporator
Built-in LED light
External Condenser
Adjustable Front Feet
Low Noise
Mechanical temperature control
Transparent door frame bottle
Recessed handle & external handle (optional)
Energy Saving
Defrost




GDFR-450R

Total Capacity (L)	432
Fridge Capacity (L)	325
Freezer Capacity (L)	107
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	T
Product Dimensions (W*D*H mm)	705*705*1821
Packaging Dimensions (W*D*H mm)	760*687*1865
Net/Gross Weight (kg)	71/77
Container Load Quantity (40HQ)	70

Roll-bond evaporator
Built-in LED light
External Condenser
Recessed handle & external handle (optional)
Energy Saving
Defrost
Mechanical temperature control
Transparent door frame bottle
Recessed handle & external handle (optional)
Adjustable Front Feet
Low Noise

Chest Freezer





BC-96KFAA1AMBCA

Total Capacity (L)	96
Fridge Capacity (L)	/
Freezer Capacity (L)	/
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	SN,N,ST
Product Dimensions (W*D*H mm)	480*523*845
Packaging Dimensions (W*D*H mm)	542*565*928
Net/Gross Weight (kg)	24/26
Container Load Quantity (40HQ)	226

- High-Density Microporous Foaming Layer
- Food-Grade Blow-Molded Inner Liner
- Removable & Washable Door Seal
- Energy Saving
- Quiet & Low Noise
- PCM Rust-Proof Color Steel Plate Body



BC/BD-203D

Total Capacity (L)	191
Fridge Capacity (L)	/
Freezer Capacity (L)	191
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	T
Product Dimensions (W*D*H mm)	940*717*835
Packaging Dimensions (W*D*H mm)	1008*758*887
Net/Gross Weight (kg)	47/52
Container Load Quantity (40HQ)	105

- LED indicator
- Push-and-pull glass door
- With grille (optional)
- Four universal castors
- Six kinds of temperature for selection
- Metal embossing inner port and spraying
- High density (85mm) foam layer design
- Big external handle
- Child lock
- With hanging basket (optional)
- External condenser
- Low Noise
- Energy Saving
- Aluminum plate inner port (optional)
- High energy efficiency



BC/BD-255D

Total Capacity (L)	241
Fridge Capacity (L)	/
Freezer Capacity (L)	241
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	T
Product Dimensions (W*D*H mm)	1120*717*835
Packaging Dimensions (W*D*H mm)	1188*758*887
Net/Gross Weight (kg)	52/58
Container Load Quantity (40HQ)	89

LED indicator
Push-and-pull glass door
With grille (optional)
Four universal castors
Six kinds of temperature for selection
Metal embossing inner port and spraying
High density (85mm) foam layer design
Big external handle
Child lock
With hanging basket (optional)
External condenser
Low Noise
Energy Saving
Aluminum plate inner port (optional)
High energy efficiency



BC/BD-310D

Total Capacity (L)	293
Fridge Capacity (L)	/
Freezer Capacity (L)	293
Other Compartment Capacity (L)	/
Freezing Capacity (kg/24h)	/
Climate Type	T
Product Dimensions (W*D*H mm)	1310*717*835
Packaging Dimensions (W*D*H mm)	1378*758*887
Net/Gross Weight (kg)	61/67
Container Load Quantity (40HQ)	75

LED indicator
Push-and-pull glass door
With grille (optional)
Four universal castors
Six kinds of temperature for selection
Metal embossing inner port and spraying
High density (85mm) foam layer design
Big external handle
Child lock
With hanging basket (optional)
External condenser
Low Noise
Energy Saving
Aluminum plate inner port (optional)
High energy efficiency

NOTE