MIDEA COOLING Model Map



Road Map - (MD/SBS)

750 Width Series(Developing)

Midea

Multi Door



HQ-523WEN
BCD410
407L 14.37cu.ft / 73pcs
753*610*1780 mm
Energy Class:
New ERP E



HQ-611RWEN
BCD470
474L 16.74cu.ft / 55pcs
833*648*1775 mm
Energy Class: A+/New ERP E/SASO D/Iraq A/UAE 3 stars/Oman E/ Kuwait D



HQ-627WEN
BCD482
492L 17.37cu.ft / 43pcs
833*740*1808 mm
Energy Class: A++/New ERP E/ Iraq A/UAE 1 star/Kuwait C/Oman D/ Ghana 4 stars



BCD505
505L 17.83cu.ft / 63pcs
755*682*1845 mm
Energy Class: New ERP E



HQ-670RWEN
BCD515
515L 18.19cu.ft / 55pcs
833*653*1898 mm
Energy Class: New ERP E/Kenya 2 stars/CIV 5 stars/Ghana 3 stars



HQ-671RWEN
BCD516
516L 18.22cu.ft / 55pcs
833*653*1898 mm
Energy Class:
New European D&E



HQ-679RWEN
BCD522
522L 18.43cu.ft / 61pcs
750*785*1676 mm
Energy Class: New European D

Entry — *Medium* — *Premium*

Multi Door



HC-827WE
BCD636
636L 22.26cu.ft / 48pcs
911×737×1775 mm
Energy Class: New ERP E

SBS



HC-598WEN
BCD460
460L 16.24cu.ft / 56pcs
835*635*1775 mm
Energy Class: A+/SASO D/New ERP E/ Iraq A/South Africa A+/Kenya 2 stars
Upgrading soon

New



HC-599WEN
BCD461
461L 16.28cu.ft / 64pcs
794*635*1745 mm
Energy Class: New ERP E



HC-689WEN
BCD530
548L 19.35cu.ft/ 48pcs
897*706*1765 mm
Energy Class: A+/New ERP E/ SASO C/Iraq A/Kuwait D/Oman E/UAE 1 star/South Africa A+/Kenya 2 stars /CIV 5 stars



HC-769WEN
BCD592
592L 20.91cu.ft / 48pcs
910*698*1793 mm
Energy Class: A+/New ERP E/ SASO D/Iraq A/Kuwait C/Oman D/UAE 1 star/South Africa A+



HC-740WEN
BCD569
569L 20.91cu.ft / 48pcs
910*698*1793 mm
Energy Class: New ERP E&D

Entry — *Medium* — *Premium*

Black Glass



HQ-611RWEN
BCD470
474L 16.74cu.ft / 55pcs
833*648*1775 mm
Energy Class: A+/New ERP E/SASO D/Iraq A/UAE 3 stars/ Oman E/Kuwait D



HQ-627WEN
BCD482
492L 17.37cu.ft / 43pcs
833*740*1808 mm
Energy Class: A++/New ERP E/Iraq A/UAE 1 star/ Kuwait C/Oman D/Ghana 4 stars



HQ-670RWEN
BCD515
515L 18.19cu.ft / 55pcs
833*653*1898 mm
Energy Class: New ERP E/Kenya 2stars / CIV 5 stars/Ghana 3 stars



HQ-671RWEN
BCD516
516L 18.22cu.ft / 55pcs
833*653*1898 mm
Energy Class:
New European D&E



HC-689WEN
BCD530
548L 19.35cu.ft / 48pcs
897*706*1765 mm
Energy Class: A+/New ERP E/ SASO C/Iraq A/Kuwait D/Oman E/UAE 1 star/South Africa A+/Kenya 2 stars/ CIV 5 stars



HD-449RWEN
BCD345
338L 11.94cu.ft / 72pcs
595*660*1858 mm
Energy Class: A+/New ERP E



HD-500RWEN
BCD385
378L 13.35cu.ft / 54pcs
595*700*2010 mm
Energy Class: A++/ New ERP E

Black Glass

Road Map - (Combi/Triple Door)

750 Width Series(Developing)



HD-572RWEN
BCD440
435L 15.36cu.ft / 65pcs
700*666*1880 mm
Energy Class: New ERP E



BCD513
513L 14.58cu.ft / 63pcs
755*682*1845 mm
Energy Class: New ERP E



HD-676REWN
BCD520
529L 18.68cu.ft / 61pcs
750*785*1682 mm
Energy Class: A++



HD-884RWEN
BCD680
680L 24.01cu.ft / 51pcs
835*718*1845 mm
Energy Class: New ERP E

2nd Generation



HD-449RWEN
BCD345
360L 12.71cu.ft / 72pcs
595*660*1858 mm
Energy Class: A++ / New European A&B&C&E



HD-500RWEN
BCD385
402L 14.20cu.ft / 54pcs
595*700*2010 mm
Energy Class: New European A&B&C&E

3rd Generation



HD-527RWEN
BCD405
401L 14.16cu.ft / 72pcs
595*670*1860 mm
Energy Class: A+/New European C&E



HD-579RWEN
BCD445
443L 15.64cu.ft / 54pcs
595*670*2010 mm
Energy Class: A++/New ERP E

3.5th Generation



HD-449RWEN
BCD335
330L 11.65cu.ft / 75pcs
595*565*1862 mm
Energy Class: New ERP E



HD-449RWEN
BCD375
360L 12.71cu.ft / 74pcs
595*565*2012 mm
Energy Class: New ERP E

Road Map - (Combi/Triple Door)

Midea



BCD272WX
250L 8.83cu.ft / 109pcs
545x531x1825 mm
Energy Class: New ERP E



HD-359RWEN
BCD276
274L 9.68cu.ft / 96pcs
545*630*1800 mm
Energy Class: A++/New European C&D&E/CIV 5 stars



HD-403RWEN
BCD310
310L 10.95cu.ft / 73pcs
595*630*1880 mm
Energy Class: A++/New European D/CIV 5 stars



HD-403RWEN1
BCD310
310L 10.95cu.ft / 72pcs
595*630*1880 mm
Energy Class: A++/New ERP E/Egypt A/ Morocco A+



HD-468RWEN
BCD360
330L 11.65cu.ft / 54pcs
595*635*2010 mm
Energy Class: New European D



HD-220RN
BCD169
174L 6.14cu.ft / 151pcs
470*511*1500 mm
Energy Class: A/New European D&E/CIV 5 stars/ Ghana 1 star



BCD267
260L 9.18cu.ft / 109pcs
545x531x1825 mm
Energy Class: New ERP E



HD-348RN
BCD268
262L 9.25cu.ft / 100pcs
547*568*1773 mm
Energy Class: A+/New ERP E/Ghana 2&3 stars/CIV 5 stars



HT-352RWEN
BCD271
271L 9.57cu.ft / 72pcs
562*595*1778 mm
Energy Class: New ERP E



BCD272WX1
250L 8.83cu.ft / 109pcs
545x531x1825 mm
Energy Class: New ERP E



HD-357RWEN
BCD275
274L 9.68cu.ft / 97pcs
545*630*1800 mm
Energy Class: A+/New ERP E&D/CIV 5 stars

Road Map - (TMF NoFrost)

China/Egypt Factory



HD-624FWEN
BCD480
463L 16.35cu.ft / 65pcs
700*670*1880 mm
Energy Class: A++/New ERP E/SASO C/Kuwait C/Oman E/Iraq A/UAE 1 star/CIV 5 stars/Morocco A++

Egypt Factory



HD-702FWEN
BCD540
535L 18.89cu.ft / 59pcs
750*725*1830 mm
Energy Class: A++/SASO C/New ERP E /Egypt A/Iraq A+/UAE 1 Star/Kuwait C/ Oman E/Jordan A++/Morocco A++

Thailand Factory



HD-668FWEN
BCD512
512L 18.08cu.ft / 64pcs
755*780*1692 mm
Energy Class: SASO D



HD-745FWEN
BCD572
576L 20.34cu.ft / 60pcs
755*830*1692 mm
Energy Class: SASO C



HD-845FWEN
BCD650
650L 22.95cu.ft / 39pcs
834*820*1860 mm
Energy Class: A+/New ERP E/SASO D&C/Kuwait C/Oman E/UAE 3 stars/South Africa A+



HD-286FWEN
BCD220
203L 7.17cu.ft / 126pcs
545*610*1372 mm
Energy Class: New ERP E

New



BCD221
200L 7.06cu.ft / 146pcs
545*531*1445 mm
Energy Class: New ERP E



HD-325FWEN
BCD250
235L 8.30cu.ft / 100pcs
545*610*1522 mm
Energy Class: A+/New ERP E /Kuwait D/Oman D/UAE 3 stars/ Kenya 2 stars



HD-366FWEN
BCD280
266L 9.39cu.ft / 98pcs
545*610*1657 mm
Energy Class: A+/New ERP E / SASO D/Kuwait D/Oman E/UAE 1 star/Kenya 3 stars/CIV 5 stars

New



BCD281
257L 9.07cu.ft / 110pcs
545*531*1720 mm
Energy Class: New ERP E

New



BCD291
290L 10.24cu.ft / 110pcs
545*696*1445 mm
Energy Class: New ERP E

China/Egypt Factory



HD-468FWEN
BCD360
338L 11.94cu.ft / 73pcs
595*695*1724 mm
Energy Class: A+/New ERP E/ SASO C/Kuwait C /Oman D/UAE 1 star/Kenya 3 stars/CIV 4 stars



HD-559FWEN
BCD430
413L 14.58cu.ft / 67pcs
700*670*1723 mm
Energy Class: A+/New ERP E/ SASO C/Iraq A/Kuwait C/Oman D/ UAE 1 star/Kenya 3 stars/CIV 5 stars

Road Map - (TMF Defrost)



HD-286FN
BCD220
206L 7.27cu.ft / 126pcs
550*562*1430 mm
Energy Class: Iraq B



HD-312FN
BCD240
235L 8.30cu.ft / 108pcs
550*550*1590 mm
Energy Class: A+/New ERP E



HD-383FN
BCD302
294L 10.38cu.ft / 97pcs
595*550*1760 mm
Energy Class: A+/ New ERP E



HD-637FN
BCD490
500L 17.66cu.ft / 65pcs
700*670*1880 mm
Energy Class: Iraq B



HD-113FN
BCD87
87L 3.07cu.ft / 184pcs
470*492*837 mm
Energy Class: New ERP E/
Kenya 1 star/Ghana 1 star/
Oman E/South Africa A+/UAE 1
star/Kuwait E



HD-166FN
BCD128
127L 4.48cu.ft / 184pcs
470*510*1190 mm
Energy Class: Kenya 1 star/
Ghana 1 star



HD-216FN
BCD166
173L 5.05cu.ft / 156pcs
470*510*1447 mm
Energy Class: A++/
SASO C/UAE 3 stars/
South Africa A/
Kenya 1 star



HD-273FN
BCD210
204L 7.20cu.ft / 144pcs
550*550*1430 mm
Energy Class: A+/New
European D&E/SASO D/Iraq B/
Ghana 4 stars/South Africa A/
Kenya 1 star

Road Map - (Bulti-in & Compact)

Midea

Built-In



HS-267RN.BI
BC205
205L 7.24cu.ft / 159pcs
540*545*1221 mm
Energy Class: New ERP E



HS-247RN.BI
BC190
190L 6.71cu.ft / 159pcs
540*545*1221 mm
Energy Class: New ERP E



HD-358RN.BI
BCD275
271L 9.57cu.ft / 105pcs
540*545*1772 mm
Energy Class: New ERP E



HD-332RWEN.BI
BCD255
248L 8.76cu.ft / 105pcs
540*545*1772 mm
Energy Class: A+/New ERP E/SASO C/ Iraq B/UAE 3stars/ Kuwait C/Oman D/ Ghana 3 stars/Kenya 2 stars



HS-285FWEN.BI
BD219
212L 7.49cu.ft / 105pcs
540*545*1772 mm
Energy Class: A++/ New European D&E/ UAE 2 stars/Kuwait C /Oman C/Egypt A/ Jordan A++



HS-402LWEN.BI
BC309
304L 10.73cu.ft / 105pcs
540*545*1772 mm
Energy Class: New European D&E



HD-351RWEN .BI
BCD270
267L 9.43cu.ft / 100pcs
540*550*1772 mm
Energy Class: New European C&D



HD-390RWEN.BI
BCD300
300L 10.59cu.ft / 95pcs
540*545*1940 mm
Energy Class: New European C&E



HD-533RWEN.BI
BCD410
400L 14.13cu.ft / 73pcs
690*550*1935 mm
Energy Class: New European D

Compact

Entry — *Medium* — *Premium*



HS-65LN
BC50
43L 1.52cu.ft / 609pcs
472*450*492 mm
Energy Class : A/New ERP E/UAE 1 star/Oman E/Kuwait D /Egypt A/Morocco A+/Ghana 4 stars



HS-87LN
BC67
65L 2.30cu.ft / 439pcs
445*510*630 mm
Energy Class: A+/New ERP E/Oman E/ Kuwait D/UAE 1 star



HS-104RN
BC80
80L 2.83cu.ft / 364pcs
472*446*845 mm
Energy Class: A+/New ERP E



HS-112LN
BC86
85L 3.00cu.ft / 400pcs
445*425*845 mm
Energy Class: A/SASO D/ Iraq C/UAE 2 stars /CIV 4 stars/Ghana 3 Stars



HS-121LN
BC93
93L 3.28cu.ft / 364pcs
472*450*850 mm
Energy Class: A/New ERP E/Kenya 1 star / Ghana 1 star/



HS-125LN
BC96
93L 3.28cu.ft / 364pcs
472*446*845 mm
Energy Class: A+/New European D&E



HS-147RN
BC113
116L 4.10cu.ft / 236pcs
553*574*845 mm
Energy Class : A+/New European C&D&E



HS-160R
BC123
123L 4.34cu.ft / 264pcs
501*540*860 mm
Energy Class : A/New ERP E



HS-173LN
BC133
131L 4.63cu.ft / 364pcs
553*574*845 mm
Energy Class: A++/New European C&E

General Series



HS-65LN
BC50 *SOLO*
43L 1.52cu.ft / 573pcs
472*450*492 mm
Energy Class : A+/ New ERP E



HS-121LN
BC93 *SOLO*
93L 3.28cu.ft / 344pcs
472*450*850 mm
Energy Class: A+/New ERP E/UAE 1 star /Kuwait C/Oman E/South Africa A+/Ghana 4 stars



HS-52FN
BD40
31L 1.09cu.ft / 609pcs
472*450*492 mm
Energy Class: A+/New European D&E



HS-78FN
BD60
60L 2.12cu.ft / 364pcs
472*446*845 mm
Energy Class : New European D&E



HS-108FN
BD83
83L 2.93cu.ft / 236pcs
553*574*845 mm
Energy Class: A+/New ERP E

SOLO Series

Freezer

Road Map - (Upright Frz. & Ref.)

750 Width Series(Developing)

Thailand Factory

Nofrost



BD140
137L 4.84cu.ft / 148pcs
472*568*1266 mm
Energy Class: A



BD/BC-180WEM
174L 6.14cu.ft / 107pcs
545*580*1270 mm
Energy Class: B



BD240
232L 8.19cu.ft / 73pcs
595×630×1720 mm
Energy Class: A/New ERP E&D/UAE 1 star/Oman E/Kuwait D /Egypt A



BD280
273L 9.64cu.ft / 72pcs
595×635×1850 mm
Energy Class : A++/New ERP E/SASO D/ UAE 3 stars/Kuwait D/Oman D/ Israel E



BC370
370L 13.07cu.ft / 72pcs
595×635×1850 mm
Energy Class : A++/ New ERP E/SASO D/Iraq A /Kuwait C/Oman D/UAE 1 star



BD515
515L 18.19cu.ft / 63pcs
755*682*1845 mm
Energy Class : New ERP E



BD390
390L 13.77cu.ft / 66pcs
711×750*×1570 mm
Energy Class: A++



BD594
594L 20.98cu.ft / 49pcs
832*735*1950 mm
Energy Class : SASO D

Defrost



BD160
160L 5.65cu.ft / 144pcs
550*550*1420 mm
Energy Class : A++/New ERP E/South Africa A/ Ghana 3 stars



BC160
160L 5.65cu.ft / 168pcs
501x540x1375 mm
Energy Class: A+



BC190
190L 6.71cu.ft / 166pcs
520x540x1246 mm
Energy Class : A+/SASO C/Iraq C/ UAE 1 star/Kuwait D/Oman E/CIV 5 stars/Kenya 1 star



BD205
202L 7.13cu.ft / 154pcs
550x570x1270 mm
Energy Class: A



BC235
235L 8.30cu.ft / 144pcs
550x550x1420 mm
Energy Class : A++&A+/New ERP E/South Africa A

Road Map - (Chest Freezer)

Nofrost



BD181
175L 6.18cu.ft
816*550*850 mm
Energy Class: A
Loading Qty(40HQ):115



BD231
234L 8.26cu.ft
985*600*850 mm
Energy Class: A
Loading Qty(40HQ): 96



BD281
270L 9.53cu.ft
1065*592*844 mm
Energy Class: A
Loading Qty(40HQ): 94

Deep Freeze -30℃
100 Hours Frozen-Sharing
Big Freeze Capacity

Sliding Glass Door



BD194
191L 6.75cu.ft
945*535*850 mm
Energy Class: Iraq B
Loading QTY(40HQ): 144



BD197
194L 6.85cu.ft
816*550*850 mm
Energy Class: A/Iraq B/
UAE 2 stars/Ghana 1 star
Loading QTY(40HQ): 166



BD297
294L 10.38cu.ft
1065*592*844 mm
Energy Class: Ghana 2 stars/
South Africa A/CIV 5 stars
Loading QTY(40HQ): 118



BD352
362L 12.78cu.ft
1255*745*853 mm
Energy Class: A/Iraq B/CIV 5 stars
Loading QTY(40HQ): 77

Sliding Glass Door

Fast Freezing



BD302KEM
293L 10.35cu.ft
1065*592*871 mm
Energy Class: A
Loading
Qty(40HQ):118



BD428DKEM
418L 14.76cu.ft
1415*730*855 mm
Energy Class: A
Loading Qty(40HQ):70



BD519DKEM
508L 17.94cu.ft
1415*730*855 mm
Energy Class: A
Loading Qty(40HQ):55



BD718DKEM
704L 24.86cu.ft
2110*791*854 mm
Energy Class: A
Loading Qty(40HQ):42

Deep Freeze -40℃
Glass Door /Flawless Appearance
Accurate temperature control

Sky Create



BD102EMR
99L 3.50cu.ft
540*505*845 mm
Energy Class: A
Loading Qty(40HQ):272



BD146EMR
142L 5.01cu.ft
628*565*845 mm
Energy Class: A
Loading
Qty(40HQ):214



BD203EMR
198L 6.99cu.ft
816*565*845 mm
Energy Class: A
Loading Qty(40HQ):166

Deep Freeze -40℃
Accurate temperature control
Flawless Appearance

Time



BD102KGEMT(E)
99L 3.50cu.ft
540*505*845 mm
Energy Class: A
Loading Qty(40HQ):199



BD142KGEMT(E)
142L 5.01cu.ft
628*560*845 mm
Energy Class: A
Loading Qty(40HQ):151



BD202KGEM
198L 6.99cu.ft
816*565*845 mm
Energy Class: A
Loading Qty(40HQ):115

Deep Freeze -30℃
Flawless Appearance

Silver Door



BD143
142L 5.01cu.ft
632*550*850 mm
Energy Class: A
Loading Qty(40HQ): 166



BD197
198L 6.99cu.ft
816*550*850 mm
Energy Class: A
Loading Qty(40HQ): 166



BD297
294L 10.38cu.ft
1065*592*844 mm
Energy Class: Ghana 2 stars/
South Africa A/CIV 5 stars
Loading QTY(40HQ): 118



BD352
362L 12.78cu.ft
1255*745*853 mm
Energy Class: A/Iraq B/CIV 5 stars
Loading Qty(40HQ): 81

Silver Door

Electronic Control



BD102E
99L 3.50cu.ft
547*446*850 mm
Energy Class: New ERP E
Loading Qty(40HQ): 310



BD146E
143L 5.05cu.ft
600*560*850 mm
Loading Qty(40HQ): 225
Energy Class: New ERP E



BD202E
198L 6.99cu.ft
770*560*850 mm
Energy Class: New ERP E
Loading Qty(40HQ): 166



BD249E
249L 8.79cu.ft
985*600*850 mm
Energy Class: New ERP E
Loading Qty(40HQ):125



BD300E
293L 10.35cu.ft
1060*590*845 mm
Energy Class: New ERP E
Loading Qty(40HQ):118



BD418E
418L 14.76cu.ft
1416*750*825 mm
Energy Class : A+/New ERP E/ SASO C/Iraq B/Oman D/UAE 1 star/ CIV 5 stars
Loading Qty(40HQ):70

Inverter
Deep Freeze -30℃
Accurate temperature control

Mechanical Control



BD102
99L 3.50cu.ft
547*446*850 mm
Energy Class : A+/SASO D/
Kuwait D/Oman D/Ghana 3 stars/UAE 1 star/New ERP E/Kenya 3 stars/ CIV 5 stars
Loading Qty(40HQ):310



BD146
143L 5.05cu.ft
600*560*850 mm
Energy Class : A+/New ERP E/SASO D/Kuwait D /Oman D/UAE 1star/CIV 5stars /Kenya 3 stars/South Africa A/ Ghana 3 stars
Loading Qty(40HQ):225



BD202
198L 6.99cu.ft
770*560*850 mm
Energy Class : A+/New ERP E/SASO D/Iraq B/UAE 1 star/CIV 5 stars / Kuwait D/Oman D/Kenya 3 stars/South Africa A+/ Ghana 3 stars
Loading Qty(40HQ):177



BD249
249L 8.19cu.ft
985*600*850 mm
Energy Class : A+/New ERP E/Kuwait D/ Oman E/UAE 1star/ South Africa A+/Kenya 3 stars/CIV 5 stars/ Ghana 3 stars
Loading Qty(40HQ):125



BD300
293L 10.35cu.ft
1065*592*844 mm
Energy Class : A+/New ERP E/SASO D/UAE 1star/Oman E/CIV 5 stars/ Ghana 3 stars
Loading Qty(40HQ):118



BD368
362L 12.78cu ft.
1255*745*825mm
Energy Class: A+
Loading Qty(40HQ): 77

Inverter
New Appearance
&
Basic



BD418
418L 14.76cu.ft
1416*750*825 mm
Loading Qty(40HQ): 70
Energy Class : A+/
Kuwait D/Oman E/UAE 1star/CIV 5 stars/
Ghana 2 stars



BD521
508L 17.94cu.ft
1530*735*875 mm
Loading Qty(40HQ): 65
Energy Class : A/New ERP E/SASO C/ Kuwait C/Oman D/UAE 1 star



BD718
702L 24.79cu.ft
2110*795*805 mm
Loading Qty(40HQ): 42
Energy Class : A/SASO E/
UAE 2 stars

Basic

Road Map - (Showcase)

Fan cooling

No frost

Vertical Showcase



SC-216
211L 7.45cu.ft /
91pcs
520*610*1747 mm



SC-316
309L 10.91cu.ft /
72pcs
595*610*2005 mm



SC-226
211L 7.45cu.ft /
97pcs
520*598*1494 mm



SC-326
309L 10.91cu.ft /
72pcs
595*598*1752 mm



SC-256L
235L 8.30cu.ft /
91pcs
520*610*1747 mm



SC-256
235L 8.30cu.ft /
97pcs
520*610*1494 mm



SC-386
386L 13.63cu.ft /
71pcs
595*695*1925 mm



SC-416
416L 14.69cu.ft /
47pcs
690*695*2185 mm



SC-456
460L 16.24cu.ft /
62pcs
690*695*1892 mm



SC-756
662L 23.38cu.ft /
52pcs
1000*630*1951 mm



SC-1256
1300L 45.91cu.ft /
25pcs
1290*735*2150 mm

Inverter

Horizontal Showcase



SD/SC109
100L 3.53cu.ft /
272pcs
545*495*835 mm



SD/SC209
199L 7.03cu.ft /
166pcs
817*550*835 mm



SD/SC109EX
100L 3.53cu.ft /
272pcs
545*495*835 mm



SD/SC209EX
199L 7.03cu.ft /
166pcs
817*550*835 mm



SD/SC309
295L 10.42cu.ft /
118pcs
1065*592*835 mm



SD/SC339
339L 11.97cu.ft /
97pcs
1020*705*870 mm



SD/SC439
439L 15.50cu.ft /
81pcs
1240*705*870 mm



SD/SC539
539L 19.03cu.ft /
66pcs
1510*705*870 mm



SD/SC686
686L 24.23cu.ft /
39pcs
1825*815*900 mm



SD/SC716
716L 25.29cu.ft
/39pcs
1825*815*900 mm

Road Map – (Ice Maker/Car Refrigerator)

Ice Maker



CE-BJ12B01QB
12KG (26.5lbs)
213.4*291.4*295 mm
Loading Qty(40HQ): 2409



HBJ-15D16E
15KG (33lbs)
226*283*300 mm
Loading Qty(40HQ): 2800

Car Refrigerator



CL-25SMWA
25L 0.88cu.ft / 450pcs
616*334*400 mm



CL-35SMW
35L 1.24cu.ft / 420pcs
670*410*425 mm



CL-45DMWB
45L 1.59cu.ft / 300pcs
653*405*502 mm



CL-45SMW
45L 1.59cu.ft / 336pcs
670*410*475 mm



CL-55DMWA
55L 1.94cu.ft / 252pcs
670*410*525 mm

Road Map – (Wine/Beverage Cooler)

Midea

Freestanding



JC49
14B / 560pcs
470*440*495 mm
Energy Class: G



JC69
24B / 445pcs
470*440*640 mm
Energy Class: G



JC99
34B / 330pcs
470*440*845 mm
Energy Class: G



JC416
193B(Dual) / 72pcs
595*625*1825 mm
Energy Class: G

Built-under



JC18
6B / 672pcs
148*525*820 mm
Energy Class: G



JC58
16B / 342pcs
295*568*820 mm
Energy Class: G



JC60
19B / 308pcs
295*595*870 mm
Energy Class: G



JC135
46B / 171pcs
595*570*815mm
Energy Class: G

Built-in



JC53
18B / 270pcs
590*555*455 mm
Energy Class: F



JC83
24B / 213pcs
593*560*593 mm
Energy Class: F



JC113
29B / 162pcs
590*565*715 mm
Energy Class: F

Beverage Cooler



LC49
48Can / 560pcs
470*440*495 mm
Energy Class: E



LC99
131Can / 330pcs
470*440*845 mm
Energy Class: E

MideaGroup
humanizing technology





Product Introduction

Mulit Door

Road Map - (MD/SBS)

Midea

Multi Door



HQ-523WEN
BCD410
407L 14.37cu.ft / 73pcs
753*610*1780 mm
Energy Class: New ERP E



HQ-611RWEN
BCD470
474L 16.74cu.ft / 55pcs
833*648*1775 mm
Energy Class: A+ / New ERP E/ SASO D/ Iraq A/ UAE 3 stars / Oman E / Kuwait D
SN/N/ST/T



HQ-627WEN
BCD482
492L 17.37cu.ft / 43pcs
833*740*1808 mm
Energy Class: A++/New ERP E / Iraq A/ UAE 1star / Kuwait C / Oman D / Ghana 4 star(T)
T



HQ-670RWEN
BCD515
515L 18.19cu.ft / 55pcs
833*653*1898 mm
Energy Class: New ERP E / Kenya 2star (ST/T) /) CIV stars(ST/T) / Ghana 3 stars (ST/T)
SN/N/ST/T



HQ-671RWEN
BCD516
516L 18.22cu.ft / 55pcs
833*653*1898 mm
Energy Class: New European D & E(SN/N/ST/T)



HQ-679RWEN
BCD522
522L 18.43cu.ft / 61pcs
750*785*1676 mm
Energy Class: New European D
SN/N/ST



HC-827WE
BCD636
636L 22.26cu.ft / 48pcs
911×737×1775 mm
Energy Class: New ERP E
SN/N/ST/T

Entry — *Medium* — *Premium*

SBS



HC-598WEN
BCD460
460L 16.24cu.ft / 56pcs
835*635*1775 mm
Energy Class: A+ (SN/N/ST/T) / SASO D(T) / New ERP E (SN/N/ST/T with WD) / Iraq A (T)/ South Africa A+(T) / Kenya 2stars
Upgrading soon



HC-689WEN
BCD530
548L 19.35cu.ft/ 48pcs
897*706*1765 mm
Energy Class: A+ / New ERP E(SN/N/ST/T) / SASO C(T) / Iraq A(T) / Kuwait D(WD & N WD) / Oman E(T WD) / UAE 1star / South Africa A+(T) / Kenya 2 stars(SN/N/ST/T) CIV 5stars(SN/N/ST/T WD& N WD) / Ghana 3 stars (ST/T WD& N WD)



HC-769WEN
BCD592
592L 20.91cu.ft / 48pcs
910*698*1793 mm
Energy Class: A+/ New ERP E(SN/N/ST/T) / SASO D(SN/N/ST/T) / Iraq A(T) / Kuwait C (T) / Aman D(T)
UAE 1star / South Africa A+ (T WD) /



HC-740WEN
BCD569
569L 20.91cu.ft / 48pcs
910*698*1793 mm
Energy Class: New ERP E & D(SN/N/ST/T)

Entry — *Medium* — *Premium*

Family Looking



HQ-611RWEN
BCD470
474L 16.74cu.ft / 55pcs
833*648*1775 mm
Energy Class: A+ / GCC / New ERP E/ SASO D



HQ-627WEN
BCD482
492L 17.37cu.ft / 43pcs
833*740*1808 mm
Energy Class: A++ / New ERP E



HQ-670RWEN
BCD515
515L 18.18cu.ft / 55pcs
833*653*1898 mm
Energy Class: A++ / New ERP E



HQ-671RWEN
BCD516
516L 18.22cu.ft / 55pcs
833*653*1898 mm
Energy Class: New ERP E



HC-689WEN
BCD530
548L 19.35cu.ft / 48pcs
897*706*1765 mm
Energy Class: A++ / New ERP E / SASO C



HD-449RWEN
BCD345
338L 11.94cu.ft / 72pcs
595*660*1858 mm
Energy Class: A+ / New ERP E



HD-500RWEN
BCD385
378L 13.35cu.ft / 54pcs
595*700*2010 mm
Energy Class: A++ / New ERP E

Black Glass

GALSS DOOR SERIES



HQ-611RWEN
BCD470
474L / 55pcs
833*648*1775 mm
Energy Class: A++



HQ-627WEN
BCD482
492L / 43pcs
833*740*1808 mm
Energy Class: A++



HQ-670RWEN
BCD515
515L / 55pcs
833*653*1898 mm
Energy Class: A++



HQ-671RWEN
BCD516
516L / 55pcs
833*653*1898 mm
Energy Class: A++



HC-689WEN
BCD530
548L / 48pcs
897*706*1765 mm
Energy Class: A++



HD-449RWEN
BCD345
338L / 72pcs
595*660*1858 mm
Energy Class:A++



HD-500RWEN
BCD385
378L / 54pcs
595*700*2010 mm
Energy Class: A++

Multi Door

HQ-523WEN & BCD410WE

Climate	SN/N/ST/T
Energy Class	A++
Net Volume	407L(R:253L, F:154L)
Dimension(W×D×H)(mm)	753*610*1780
Load Capacity	(20GP/40GP/40HQ): 24/48/60





-Total no frost
-Dazzle crystal grey metal
-Light grey interior
-Inverter compressor
-PT fresh
-Smart sensor for accuracy temp.control
-Vario-space for 3 modes: veg & fruit. fish&
-meat. dry foodstuff
-Drawer freezer for easy-get
-3 layers for freezer compartment

Multi Door




HQ-611RWEN & BCD470WE

Climate	T/ST/N/SN
Energy Class	A++
Net Volume	474L(R:305L, F:169L)
Dimension(W*D*H)(mm)	833x648x1775
Load Capacity(40HQ)	55

- *Digital Temp-Moist Control*
- *Express Cooling Circle*
- *3D Air Cooling*
- *DC Inverter*
- *Switch Box*
- *90° Accessible*
- *Anti-Dumping Bins*




HQ-627WEN & BCD482WE

Climate	T/ST/N/SN
Energy Class	A+
Net Volume	492L(R:329L, F:163L)
Dimension(W×D×H)(mm)	833×740×1775
Load Capacity(40HQ)	52

- *Dual cycle and cooling system*
- *Multi-air flow design*
- *Double crisper drawers*
- *Super freezing and super cooling function*
- *Water dispenser(optional)*

New 750 Width Platform(Developing)



BCD505

Climate	T/ST/N/SN
Energy Class	New ERP E
Net Volume	505L(R:329L, F:176L)
Dimension(W×D×H)(mm)	755*682*1845
Load Capacity(40HQ)	63

- *Total No Frost*
- *Inverter Compressor*
- *Touch Control*
- *Rotatable Ice Maker*
- *Variable Box*

Multi Door



HQ-679RWEN & BCD522

Climate	T/ST/N
Energy	A+
Net capacity	522L(R: 364L, F: 158L)
Dimension(W×D×H)(mm)	545*610*1522
Load Capacity	(20GP/40GP/40HQ):21/42/61

- ***Big Freezer Drawer***
- ***6 Gallon Bins***
- ***E-star***
- ***Inverter Compressor***
- ***LED Light***
- ***Adjustable Shelves***
- ***Open-Door Alarm***



HC-827WEN & BCD636WE

Climate	SN/T/ST/N
Energy	E
Net capacity	636L(R: 449L, F: 187L)
Dimension(W×D×H)(mm)	911*737*1775(without handle)
Load Capacity	(20GP/40GP/40HQ): 18/36/48

- ***Twist ice-maker***
- ***Dual cycle and dual air-cooled refrigeration system***
- ***Highly moisture-retention technology***
- ***Large double fruit and vegetable box***
- ***Wide door shelf Mute slide***

MideaGroup
humanizing technology



Product Introduction

Side by Side

SIDE BY SIDE ROADMAP

Midea



HC-740WEN
BCD569
569L(R:372L, F:197L)
910*698*1793 mm
Energy Class: A++
Loading Qty(40HQ): 48
Color: Inox



HC-769WEN
BCD592
592L(R:379L, F:213L)
910*698*1793 mm
Energy Class: A++
Loading Qty(40HQ): 48
Color: Inox/Dark Inox

550L ~ 600L



HC-689WEN
BCD530
548L(R:347L, F:201L)
897*706*1765 mm
Energy Class: A++
Loading Qty(40HQ): 48
Color:
Inox/White/Black/Black Glass

500L ~ 550L



HC-598WEN
BCD460
460L(R:272L, F:188L)
835*635*1775 mm
Energy Class: A+
Loading Qty(40HQ): 56
Color: Inox/Black/Silver/White

450L ~ 500L

SIDE BY SIDE



-Indoor icemaker
-Super freezing and super cooling function
-90°door open feasibility
-ADT-Fresh
-Multi-air flow design
-Electronic control
-LED interior lighting
-No Frost
-Humidity control
-Inverter compressor
-White and Grey design Interior
-Vacation mode
-Door alarm



HC-740WEN & BCD569WE

Climate	T/ST/N/SN
Energy Class	A++
Net Volume	569L(R:372L, F:197L)
Dimension(W×D×H)(mm)	910*698*1793
Load Capacity	(20GP/40GP/40HQ): 18/36/48



-Folio double doors
-Child lock mode
-Super freezing and super cooling function
-90°door open feasibility
-ADT-fresh
-Counter depth
-Inverter compressor
-Adjustable glass shelf
-Humidity control
-Grip handle optional



HC-769WEN & BCD592WE

Climate	T/ST/N/SN
Energy Class	A++
Net Volume	592L(R:379L, F:213L)
Dimension(W×D×H)(mm)	910*698*1793
Load Capacity	(20GP/40GP/40HQ): 18/36/48

SIDE BY SIDE



HC-598WEN & BCD460WEN

Climate	T/ST/N/SN
Energy Class	A+
Net Volume	460L(R:272L, F:188L)
Dimension(W×D×H)(mm)	835*635*1775
Load Capacity(40HQ)	56

- ***Inverter compressor***
- ***Multi layer air duct design***
- ***90°door open feasibility***
- ***Interior LED light***
- ***Electronic Display***
- ***Super freezing and super cooling function***



HC-599WEN & BCD461WEN

Climate	T/ST/N/SN
Energy Class	New ERP E
Net Volume	461L(R:276L, F:185L)
Dimension(W×D×H)(mm)	794*635*1745
Load Capacity(40HQ)	64

- ***Total no frost***
- ***Recessed Handle***
- ***Folio double doors***
- ***Electronic control with LED display***
- ***Multi-air Flow***
- ***Inverter Compressor***
- ***90° clearance***
- ***Glass door (Optional)***



HC-689WE & BCD530WE

Climate	T/ST/N/SN
Energy Class	A++
Net Volume	548L(R:347L, F:201L)
Dimension(W×D×H)(mm)	897x706x1765
Load Capacity(40HQ)	48

- ***Folio double doors***
- ***Child lock mode***
- ***Interior LED light***
- ***Super freezing and super cooling function***
- ***Vacation mode***
- ***Twist ice cube maker(Optional)***
- ***Glass door(Optional)***



Product Introduction

Bottom Freezer



Bottom Freezer(No frost)



HD-572REWN & BCD440

Climate	T/ST/N
Energy Class	A++
Net Volume	435L(R:316L, F:119L)
Dimension(W×D×H)(mm)	700×666×1880
Load Capacity(40HQ)	65

New 750 Width Platform(Developing)



BCD513

Climate	T/ST/N/SN
Energy Class	New ERP E
Net Volume	513L(R:337L, F:176L)
Dimension(W×D×H)(mm)	755*682*1845
Load Capacity(40HQ)	63

Features:

- ***Total No Frost***
- ***Inverter Compressor***
- ***Touch Control***
- ***Vegetable & Fruit Crisper***
- ***Reversible Door***
- ***3 Cooling Mode Convertivle(All Cooling, All Freezing, Cooling+Freezing)***

Bottom Freezer(No frost)



HD-676REWN & BCD520

Climate	T
Energy Class	A
Net Volume	529L(R:370L, F:159L)
Dimension(W×D×H)(mm)	750*785*1682
Load Capacity(40HQ)	61



HD-884RWEN & BCD680

Climate	T/ST/N/SN
Energy Class	E
Net Volume	680L(R:481L, F:199L)
Dimension(W×D×H)(mm)	835*718*1845
Load Capacity(40HQ)	51

Bottom Freezer(No frost)(3.5th Generation)

New



HD-436RWEN & BCD335

Climate	SN/N/ST/T
Energy Class	New ERP E
Net Volume	330L(R:232L, F:98L)
Dimension(W×D×H)(mm)	595*570*1860
Load Capacity(40HQ)	75

- *Total No Frost*
- *Perfect in*
- *Multi-air Flow*
- *Inverter compressor*
- *90° clearance*
- *Reversible door*
- *Transformer drawer*
- *Water dispenser(Optional)*
- *Cooling zone (Optional)*

New



HD-488RWEN & BCD375

Climate	SN/N/ST/T
Energy Class	New ERP E
Net Volume	360L(R:262L, F:98L)
Dimension(W×D×H)(mm)	595*570*2010
Load Capacity(40HQ)	74

- *Total No Frost*
- *Perfect in*
- *Multi-air Flow*
- *Inverter compressor*
- *90° clearance*
- *Reversible door*
- *Transformer drawer*
- *Water dispenser(Optional)*
- *Cooling zone (Optional)*

Bottom Freezer(No frost)(3rd Generation)



HD-527RWEN & BCD405

Climate	SN/N/ST/T
Energy Class	C&E
Net Volume	400L(R:270L, F:130L)
Dimension(W×D×H)(mm)	595*688*1860
Load Capacity	(20GP/40GP/40HQ):27/54/72

- *MegaMax Capacity*
- *Total No Frost*
- *Multi Airflow*
- *Platinum Fresh*
- *Internal Display*
- *Freezer Lighting*
- *Interactive Door Handle Light*
- *Adjustable Shelves*
- *Big Freezer Drawer*
- *90° Clearance*
- *Reversible Door*



HD-579RWEN & BCD445

Climate	SN/N/ST/T
Energy Class	C&E
Net Volume	442L(R:312L, F:130L)
Dimension(W×D×H)(mm)	595*688*2010
Load Capacity	(20GP/40GP/40HQ):27/54/54

- *MegaMax Capacity*
- *Total No Frost*
- *Multi Airflow*
- *Platinum Fresh*
- *Internal Display*
- *Freezer Lighting*
- *Interactive Door Handle Light*
- *Cooling Drawer*
- *Adjustable Shelves*
- *Big Freeze Drawer*
- *90° Clearance*
- *Reversible Door*

Bottom Freezer(No frost)(2nd Generation)



HD-449RWEN&BCD345

Climate	ST/N
Energy Class	A++
Net Volume	338L(R:216L, F:122L)
Dimension(W×D×H)(mm)	595*660*1858
Load Capacity	(20GP/40GP/40HQ):27/54/72

- *Transformer*
- *Easy-get Shelf*
- *Stereo lights*
- *Ice Cream Space*
- *Dual Cooling Control*
- *Cooling Box*

- *Multi Air Flow System*
- *Fast Cool*
- *Fruit and vegetable crisper*
- *Safety glass*
- *Reversible door*



HD-500RWEN&BCD385

Climate	ST/N
Energy Class	A++
Net Volume	378L(R:262L, F:116L)
Dimension(W×D×H)(mm)	595*660*2010
Load Capacity	(20GP/40GP/40HQ):27/54/54

Bottom Freezer(No frost)(1ST Generation)



HD-403RWEN & BCD310WE

Climate	ST/N
Energy Class	A+
Net Volume	310L(R:224L, F:86L)
Dimension(W×D×H)(mm)	595×630×1880
Loading Capacity(40HQ)	72



HD-403RWEN1 & BCD310WE

Climate	ST/N
Energy Class	A+
Net Volume	310L(R:224L, F:86L)
Dimension(W×D×H)(mm)	595×630×1880
Loading Capacity(40HQ)	72



HD-468RWEN & BCD360WE1

Climate	T/ST/N
Energy Class	A++
Net Volume	330L(R:247L, F:83L)
Dimension(W×D×H)(mm)	595×635×2010
Loading Capacity(40HQ)	54

Bottom Freezer(Nofrost)

New



BCD272WX1

Climate	SN/N/ST/T
Energy Class	New ERP E
Net Volume	272L(R:199L, F:71L)
Dimension(W×D×H)(mm)	545x531x1825
Loading Capacity(40HQ)	109

- *Multi Air Flow System*
- *Dual-E-temp. control inside*
- *Assist-close*
- *Fruit and vegetable crisper*
- *Safety glass*
- *Big freezer space*
- *Reversible door*
- *Recessed handle with hidden cap*
- *Convenient box*



HD-357RWEN & BCD275

Climate	SN/N/ST/T
Energy Class	A+
Net Volume	272L(R:199L, F:71L)
Dimension(W×D×H)(mm)	545*630*1800
Loading Capacity(40HQ)	97

- *Multi Air Flow System*
- *Dual-E-temp. control inside*
- *Assist-close*
- *Fruit and vegetable crisper*
- *Safety glass*
- *Big freezer space*
- *Reversible door*
- *Recessed handle with hidden cap*
- *Convenient box*







Bottom Freezer(Nofrost)

New



BCD272WX

Climate	T/ST/N/SN
Energy Class	New ERP E
Net Volume	250L(R:176L, F:74L)
Dimension(W×D×H)(mm)	545x531x1825
Loading Capacity(40HQ)	109

- ***Fruit and vegetable crisper***
- ***Safety glass***
- ***Reversible door***
- ***Grip handle(optional)***
- ***Water dispenser(optional)***



HD-359RWEN & BCD276WE

Climate	ST/N
Energy Class	A+
Net Volume	270L(R:199L, F:71L)
Dimension(W×D×H)(mm)	545×625×1800
Loading Capacity(40HQ)	96

- ***Fruit and vegetable crisper***
- ***Safety glass***
- ***Reversible door***
- ***Grip handle(optional)***
- ***Water dispenser(optional)***

Bottom Freezer(Nofrost)



HT-352RWEN & BCD271WE

Climate	SN/N/ST
Energy Class	E
Net Capacity	263L(R:131L, F:97L, V:35L)
Dimensions(W*D*H)(mm)	595*562*1778
Loading Capacity(40HQ)	96



Platinum Fresh:
PT purification in fridge compartment, adsorption of odors, catalytic decomposition of odor molecules, inhibition of cold-loving bacteria, 99.999% antimicrobial

Color



Variable temperature space:
Three-position electronically controlled adjustment. Varies with ingredients.
Temperature range: 8~-18℃



Chill Box
Separate drawer, forming an independent and relatively sealed moisturizing environment, high humidity storage of fruits and vegetables to hold moist and fresher



Platinum Fresh:
PT purification in freezer compartment, adsorption of odors, catalytic decomposition of odor molecules, inhibition of cold-loving bacteria, 99.999% antimicrobial



Inverter Compressor

Bottom Freezer(Low Frost)

New



BCD267

Climate	T/ST/N/SN
Energy Class	New ERP E
Net Volume	260L(R:178L, F:82L)
Dimension(W×D×H)(mm)	545x531x1825
Load Capacity(40HQ)	109

- ***Static with Low-Frost***
- ***Bigger capacity***
- ***Bigger freezer compartment***
- ***Bigger loading capacity***
- ***Led light***
- ***Mechanical control***
- ***Energy saving***
- ***Full-open drawer***
- ***Zero-clearance***



HD-348RN& BCD268

Climate	ST/N
Energy Class	A+
Net Volume	262L(R:197,F:65)
Dimension(W×D×H)(mm)	547*568*1773
Load Capacity(40HQ)	104

- ***Static with Low-Frost***
- ***Bigger capacity***
- ***Bigger freezer compartment***
- ***Bigger loading capacity***
- ***Led light***
- ***Mechanical control***
- ***Energy saving***
- ***Full-open drawer***
- ***Zero-clearance***



Bottom Freezer(Low Frost)



HD-181RN&BCD139

Climate	ST/N
Energy Class	A+
Net Volume	133L(R:91,F:42)
Dimension(W×D×H)(mm)	470*511*1240
Load Capacity(40HQ)	184

- *Big Box*
- *Fruit and vegetable crisper*
- *Low frost*
- *Mechanical control*
- *LED light*







HD-220RN&BCD169

Climate	ST/N
Energy Class	A+
Net Volume	174L(R:115,F:59)
Dimension(W×D×H)(mm)	470*511*1500
Load Capacity(40HQ)	151

- *Big Box*
- *Sliding box for pizza*
- *Fruit and vegetable crisper*
- *Low frost*
- *Mechanical control*
- *LED light*







HD-233RWEN&BCD179

Climate	ST/N
Energy Class	A+
Net Volume	173L(R:120,F:53)
Dimension(W×D×H)(mm)	470*566*1500
Load Capacity(40HQ)	150

- *Big Box*
- *Sliding box for pizza*
- *Cold drink area*
- *Fruit and vegetable crisper*
- *No Frost Freezer zone*
- *Electronic control*
- *LED light*







Product Introduction

Top Freezer



Top Freezer(No Frost)



HD-286FWEN & BCD220

Climate	T/ST/N
Energy	New ERP E
Net capacity	203L(R:143L, F:60L)
Dimension(W×D×H)(mm)	545*610*1372
Load Capacity(40HQ)	126

- *Electronic control*
- *Cooling Zone optional*
- *Twist ice-maker optional*
- *Grip and recessed handle optional*
- *LED light*
- *Reversible door*
- *Big Crisper*

New



BCD221

Climate	T/ST/N/SN
Energy	New ERP E
Net capacity	200L(R:149L, F:51L)
Dimension(W×D×H)(mm)	545*531*1445
Load Capacity(40HQ)	146

- *Electronic control*
- *Cooling Zone optional*
- *Twist ice-maker optional*
- *Grip and recessed handle optional*
- *LED light*
- *Reversible door*
- *Big Crisper*



HD-325FWEN & BCD250WE

Climate	T/ST/N
Energy	A+
Net capacity	236L(R:176L, F:60L)
Dimension(W×D×H)(mm)	545*610*1522
Load Capacity(40HQ)	100

- *Electronic control*
- *Cooling Zone optional*
- *Twist ice-maker optional*
- *Grip and recessed handle optional*
- *LED light*
- *Reversible door*
- *Big Crisper*

Top Freezer(No Frost)



HD-366FWEN & BCD280

Climate	T/ST/N
Energy	A+
Net capacity	266L (R:206L , F:60L)
Dimension(W×D×H)(mm)	545*610*1657
Load Capacity(40HQ)	99

- *Electronic Control*
- *No-Frost*
- *Big Cooling Zone*
- *Special Egg Tray*
- *Big Ice Tray*
- *Highlight-LED*
- *2L door rack*

New



BCD281

Climate	T/ST/N/SN
Energy	New ERP E
Net capacity	257L (R:206L , F:52L)
Dimension(W×D×H)(mm)	545*531*1720
Load Capacity(40HQ)	110

- *Electronic Control*
- *No-Frost*
- *Big Cooling Zone*
- *Special Egg Tray*
- *Big Ice Tray*
- *Highlight-LED*
- *2L door rack*

New



BCD291

Climate	T/ST/N/SN
Energy	New ERP E
Net capacity	257L (R:212L , F:78L)
Dimension(W×D×H)(mm)	545*696*1445
Load Capacity(40HQ)	110

- *Electronic Control*
- *No-Frost*
- *Big Cooling Zone*
- *Special Egg Tray*
- *Big Ice Tray*
- *Highlight-LED*
- *2L door rack*

Top Freezer(No Frost)



HD-468FWEN & BCD360

Climate	T/ST/N
Energy	A+
Net capacity:	338 (R:254L , F:84L)
Dimension(W×D×H)(mm)	595*695*1724
Load Capacity(40HQ)	73

- *Electronic Control*
- *No-Frost*
- *Big Cooling Zone*
- *Egg Tray*
- *Big Ice Tray*
- *Highlight-LED*
- *2L door rack*



HD-559FWEN & BCD430

Climate	T/ST/N
Energy	A+
Net capacity	413L (R:310L, F:103L)
Dimension(W×D×H)(mm)	700*670*1723
Load Capacity(40HQ)	67

- *Inverter compressor*
- *No-Frost*
- *Electronic Control*
- *Big Cooling Zone*
- *Big Vegetable Box*
- *2L Bottle Rank*
- *Humidity Control*
- *Dual LED lamp*



HD-624FWEN & BCD480

Climate	T/ST/N
Energy	A+
Net capacity	466L(R:363L, F:103L)
Dimension(W×D×H)(mm)	700*691*1880
Load Capacity(40HQ)	65

- *Inverter compressor*
- *No-Frost*
- *Electronic Control*
- *Big Cooling Zone*
- *Big Vegetable Box*
- *2L Bottle Rank*
- *Humidity Control*
- *Dual LED lamp*

Top Freezer(No Frost)



HD-702FWEN & BCD540WE

Climate	T/ST/N
Energy	A+/IRAQ/UAE/SASO
Net capacity	539L(R:426L, F:113L)
Dimension(W×D×H)(mm)	750*725*1830
Load Capacity(40HQ)	59

- ***Inverter Compressor***
- ***Electronic temperature control***
- ***Double crispers with separate humidity control***
- ***Cooling Zone optional***
- ***Fresh filter***
- ***2L bottle rack***
- ***Grip handle (optional)***



HD-845FWEN & BCD650

Climate	T/ST/N
Energy	A+
Net capacity	650L(R:488L, F:162L)
Dimension(W×D×H)(mm)	834*820*1860
Load Capacity(40HQ)	28

- ***Inverter compressor***
- ***No-Frost***
- ***Electronic Control***
- ***Big Cooling Zone***
- ***Big Vegetable Box***
- ***2L Bottle Rank***
- ***Humidity Control***
- ***Dual LED lamp***



Top Freezer(No Frost)



HD-668FWEN & BCD512

Climate	T
Energy	A+/SASO D
Net capacity	512L(R:368L, F:144L)
Dimension(W×D×H)(mm)	755*780*1692
Load Capacity(40HQ)	64

- ***Inverter Compressor***
- ***Pura Air***
- ***Multi Air Flow***
- ***Spill Proof Glass shelves***
- ***Mega Freezer***
- ***Humidity Control***
- ***Electronic Control***
- ***Energy Saving***



HD-745FWEN & BCD572

Climate	T
Energy	A+/SASO C
Net capacity	576L(R:413L, F:163L)
Dimension(W×D×H)(mm)	755*830*1692
Load Capacity(40HQ)	60

- ***Inverter Compressor***
- ***Multi Air Flow***
- ***Pura Air***
- ***Spill Proof Glass shelves***
- ***Exterior Display***
- ***Mega Freezer***
- ***Humidity Control***
- ***Energy Saving***

Top Freezer(Defrost)



HD-113FN & BCD87

Climate	N/ST
Energy	E
Net capacity	87L(R:61L, F:26L)
Dimension(W×D×H)	470*492*837mm
Load Capacity(40HQ)	184



HD-166FN & BCD128

Climate	ST
Energy	A
Net capacity	132L(R:92L, F:40L)
Dimension(W×D×H)	470*510*1190mm
Load Capacity(40HQ)	176



HD-216FN & BCD166

Climate	ST
Energy	A
Net capacity	173L(R:132L, F:40L)
Dimension(W×D×H)	470*510*1447mm
Load Capacity(40HQ)	156

Top Freezer(Defrost)



HD-273FN & BCD210

Climate	SN/ST/N
Energy	A+
Net capacity	204L(R:163L, F:41L)
Dimension(W×D×H)	550*550*1430mm
Load Capacity(40HQ)	144



HD-312FN & BCD240

Climate	SN/ST/N
Energy	A+
Net capacity	235L(R:194L, F:41L)
Dimension(W×D×H)	550*550*1590mm
Load Capacity(40HQ)	108



HD-383FN & BCD302

Climate	SN/ST/N
Energy	A++
Net capacity	294L(R:225, F:69)
Dimension(W×D×H)	595*550*1760mm
Load Capacity(40HQ)	97

Top Freezer(Defrost)





- *Recessed /Grip handles optional*
- *Outside condenser*
- *Outside evaporator*
- *Defrost*
- *White/golden /red/silver color option*
- *With lock & key*
- *Glass/wire shelf option*
- *Energy saving*
- *Fast cooling*
- *Fast freezing*
- *Low noise*
- *Independent storage*



HD-283F & BCD220

Climate	T
Energy	Iraq B
Net capacity	206L(R:164L, F:42L)
Dimension(W×D×H)	550*562*1430mm
Load Capacity(40HQ)	134

HD-637FN & BCD490

Climate	T
Energy	Iraq B
Net capacity	478L(R:364L, F:114L)
Dimension(W×D×H)	700*695*1880mm
Load Capacity(40HQ)	65


BUILT-IN
REFRIGERATOR

Road Map – (BUILD-IN)

1.22m Upright



HS-247RN.BI
BC190
190L 6.71cu.ft / 159pcs
540*545*1221 mm
Energy Class: E



HS-267RN.BI
BC205
205L 7.24cu.ft / 159pcs
540*545*1221 mm
Energy Class: E

1.77m Upright



HS-285FWEN.BI
BD219
212L 7.49cu.ft / 105pcs
540*545*1772 mm
Energy Class: D&E



HS-402LWEN.BI
BC309
304L 10.73cu.ft / 105pcs
540*545*1772 mm
Energy Class: D&E

1.77m Combi



HD-332RWEN.BI
BCD255
248L 8.76cu.ft / 105pcs
540*545*1772 mm
Energy Class: E



HD-351RWEN .BI
BCD270
267L 9.43cu.ft / 100pcs
540*550*1772 mm
Energy Class: C



HD-358RN.BI
BCD275
271L 9.57cu.ft / 105pcs
540*545*1772 mm
Energy Class: E

1.94m Combi



HD-390RWEN.BI
BCD300
300L 10.59cu.ft / 95pcs
540*545*1940 mm
Energy Class: C



HD-533RWEN.BI
BCD410
400L 14.13cu.ft / 73pcs
690*550*1935 mm
Energy Class: D

Built In - 1.22m Single Door

HS-247RN BI & BC190CM



Specifications

System	Defrost
Capacity	190L(R:174L / F:16L)
Energy	A++
Noise	35dB
Dimensions (W*D*H)(mm)	540*545*1221
Loading Qty (40HQ)	159

Features

- *Separated freezer compartment*
- *Electronic control*
- *Transparent drawers*
- *2L bottle rock*
- *LED light*
- *Easy installation*

HS-267RN BI & BC205CM



Specifications

System	Total no frost
Capacity	205L
Energy	A++
Noise	35dB
Dimensions (W*D*H)(mm)	540*545*1221
Loading Qty (40HQ)	159

Features

- *Electronic control*
- *Transparent drawers*
- *2L bottle rock*
- *LED light*
- *Easy installation*

Built In - 1.77m Upright Single Door

HS-285FWENBI



Specifications

System	Total No frost
Capacity	212L (R:/ , F:212L)
Energy	A+
Noise	38dB
Dimensions (W*D*H)(mm)	540 * 545 * 1772
Loading Qty (40HQ)	105

Features

- *Total No Frost cooling system*
- *Easy-fit*
- *Easy-touch for temperature control*
- *LED light*
- *Sliding box for pizza*
- *Standby mode*
- *Convertible for freezer or fridge*
- *Mobile box (optional)*
- *Silver trim (optional)*

HS-402LWENBI



Specifications

System	Total no frost
Capacity	304L (R:304L , F:/)
Energy	A++
Noise	38dB
Dimensions (W*D*H)(mm)	540 * 545 * 1772
Loading Qty (40HQ)	105

Features

- *Total No Frost cooling system*
- *Easy-fit*
- *Easy-touch for temperature control*
- *LED light*
- *Standby mode*
- *Mobile box (optional)*
- *Silver trim (optional)*

Built In - 1.77m Combi

HD-332RWEN.BI & BCD255WE



Specifications

System	Total No frost
Capacity	241L(R:182L, F:59L)
Energy	A+
Noise	41dB
Dimensions (W*D*H)(mm)	540*545*1772
Loading Qty (40HQ)	105

Features

- *Total No Frost*
- *Easy-fit*
- *DOD/Sliding optional*
- *Easy-touch for temperature control*
- *Safe box for individual*
- *Cool space for beer*
- *Air flow for fridge*
- *Visible freshness*
- *Sliding box for pizza*
- *Bigger drawer for easy-getting*

HD-351RWEN.BI & BCD270



Specifications

System	Total No frost
Capacity	267L(R:193L, F:74L)
Energy	A++
Noise	35dB
Dimensions (W*D*H)(mm)	540*550*1785
Loading Qty (40HQ)	100

Features

- *Total No Frost*
- *Maximal idea space*
- *Large freezer*
- *Inverter Compressor*
- *Electronic control*
- *DOD/Sliding option*
- *Cool space for beer*
- *Sliding box for pizza*
- *Double Crispers option*
- *Cooling zone*
- *Wine Shelf option*

HD-358RN.BI & BCD275



Specifications

System	Low Frost
Capacity	272L(R:172L, F:100L)
Energy	A+
Noise	39dB
Dimensions (W*D*H)(mm)	540*545*1772
Loading Qty (40HQ)	105

Features

- *Easy-fit*
- *Sliding plectrum for temperature control*
- *Safe box for individual*
- *Cool space for beer*
- *Ventilation for fridge*
- *Low frost for freezer*
- *Sliding box for pizza*
- *Bigger drawer for easy-getting*

Built In - 1.94m Combi

HD-390RWEN BI & BCD300WE



Specifications

System	Total No frost
Capacity	300L(R:213L F:87L)
Energy	A++
Noise	35dB
Dimensions (W*D*H)(mm)	540* 545 * 1940
LOADING Qty (40HQ)	95

Features

- *Total no frost*
- *Maximal idea space*
- *Large freezer (87L)*
- *Inverter Compressor*
- *Electronic control*
- *DOD/Sliding option*
- *Cool space for beer*
- *Sliding box for pizza*
- *Cooling zone*
- *Double Crispers(optional)*
- *Wine Shelf(optional)*

HD-533RWEN.BI & BCD410WX



Specifications

System	Total No frost
Capacity	403 (R:303/F:100)
Energy	A+++
Noise	29dB
Dimensions (W*D*H)(mm)	690*550*1935
LOADING Qty (40HQ)	73

Features

- *Total no frost*
- *4XL capacity*
- *A class noise (29dB)*
- *Dual temp. control*
- *Inverter Compressor*
- *Humidity control*
- *Cooling zone(optional)*
- *metal cooling(optional)*
- *DOD/Sliding(optional)*

Top & Bottom Limiters

- No need to use rulers, pencils or tools to position the refrigerators manually. Integrated limiters save time for measurement.



Slider

- No need to use rules, pencil, and etc. tools to position the door on the cabinet door. Sliders have pre-located the position to release from measurement.



A Few Accessories

- Only a screwer and screws to install.



Hyspace

With the same dimension, we have a larger capacity with wider and deeper inner space.

- High efficient heat dissipation system
- Better insulation Panel



FULL SPACE FROST FREE

- No Frost
- Multi Air Flow



Product Introduction

Single Door



Road Map - (Upright Frz.&Fridge)

Midea

Nofrost



BD140
137L 4.84cu.ft / 148pcs
472*568*1266 mm
Energy Class: A



BD180
174L 6.14cu.ft / 107pcs
545*580*1270 mm
Energy Class: B



BD240
232L 8.19cu.ft / 73pcs
595×630×1720 mm
Energy Class: A/New ERP E&D/UAE 1star/Oman E/Kuwait D/Egypt A



BD280
273L 9.64cu.ft / 72pcs
595×635×1850 mm
Energy Class : A++/New ERP E/SASO D/UAE 1 star&3stars /Kuwait D/Oman D



BC370
370L 13.07cu.ft / 72pcs
595×635×1850 mm
Energy Class : A++ /New ERP E/SASO D/Iraq A /Kuwait C/ Oman D/UAE 1star



BD390
390L 13.77cu.ft / 66pcs
711×750*×1570 mm
Energy Class: A++



BD481
481L 16.99cu.ft / 58pcs
832*735*1650 mm
Energy Class: A++



BD594
594L 20.98cu.ft / 49pcs
832*735*1950 mm
Energy Class : SASO D

Defrost



BD160
160L 5.65cu.ft / 144pcs
550*550*1420 mm
Energy Class : A++/New ERP E/South Africa A+/Ghana 3 stars



BD205
202L 7.13cu.ft / 154pcs
550x570x1270 mm
Energy Class: A



BC160
160L 5.65cu.ft / 168pcs
501x540x1375 mm
Energy Class: A+



BC190
190L 6.71cu.ft / 166pcs
520x540x1246 mm
Energy Class : A+/SASO C/Iraq C/ UAE 1 star/Kuwait D/Oman E/CIV 5stars/Kenya 1star



BC235
235L 8.30cu.ft / 144pcs
550x550x1420 mm
Energy Class : A++&A+/New ERP E/South Africa A

Single Door

HS-772FWE & BD594WE (Stainless Look Steel)

Climate	T/ST
Energy Class	SASO
Net Volume	594L
Dimension(W*D*H)(mm)	832*735*1950
Load Capacity(40HQ)	39



- *conversion between ℃ and ℉*
- *Adjustable leg*
- *High-temperature alarm*
- *Easy rolling wheels*
- *Electronic control with LED display*
- *Interior LED light*





Single Door

HS-507FWE & BD390WE(Stainless Look Steel)

Climate	T/ST
Energy Class	UAE/SASO
Net Volume	390L
Dimension(W*D*H)(mm)	711*750*1570
Load Capacity(40HQ)	66



- ***Conversion between ℃ and ℉***
- ***Adjustable leg***
- ***High-temperature alarm***
- ***Easy rolling wheels***
- ***Electronic control with LED display***
- ***Interior LED light***





Single Door

New 750 Width Platform(Developing)

BD515

Climate	T/ST/N/SN
Energy Class	New ERP E
Net Volume	515L
Dimension(W*D*H)(mm)	755*682*1845
Load Capacity(40HQ)	63



- ***Total No Frost***
- ***Inverter Compressor***
- ***Touch Control***
- ***3 Drawer + 1 Tray***
- ***Cooling & Freezing Convertible***
- ***Reversible Door***
- ***Garage Ready***
- ***Lock(Optional)***



UPRIGHT

FREE SPACE SHIFTING

Multifunctional shelf, free choice of storage mode:
1. independent compartment
2. open compartment
3. more space



HS-364FWEN BD280 HS-481LWEN BC370



Variable spaceA (Space switching)



Changeable space

UPRIGHT



Convenient space

According to ergonomics, the convenient height of the drawer < 1250mm

Hisense	Beko	Whirlpool	Samsung	MD new model
1400	1350	1270	1140	1220



Cooling Box

Independent low-temperature compartment, providing low-temp and keeping meat and seafood fresh.

-Independent compartment
-Keep fresh
-No need to defrost, easy to cut



8-STOREY PARTITION

8-storey partition, a variety of food ingredients, independent compartment, provide a comprehensive solution of food storage.



Top variable temperature zone

Put away the flip cover: ordinary cold storage area.

Put down the flip cover: low temperature cold storage area

Single Door(Upright)





HS-481LWEN & BC370WE

Climate	SN/N/ST/T
Energy Class	A++
Net Volume	362L
Dimension(W×D×H)(mm)	595×635×1850 (without handle)
Load Capacity	(20GP/40GP/40HQ):27/54/72

- *No Frost*
- *Multi-air flow*
- *Electronic control*
- *Super cool*
- *Reversible door*
- *Cooling box*
- *Zero Clearance*
- *Water dispenser(optional)*





HS-364FWEN & BD280

Climate	SN/N/ST/T
Energy Class	A+
Net Volume	273L
Dimension(W×D×H)(mm)	595×618×1850 (without handle)
Load Capacity	(20GP/40GP/40HQ):27/54/72

- *No Frost*
- *Multi-air flow*
- *8-storey partition*
- *Electronic control*
- *Super freeze function*
- *Reversible door*
- *big Box*
- *Zero Clearance*
- *Two conversion modes on command*





HS-312FWEN & BD240

Climate	SN/N/ST/T
Energy Class	A+
Net Volume	238L
Dimension(W×D×H)(mm)	595×630×1720 (without handle)
Load Capacity	(20GP/40GP/40HQ):27/54/73

- *Super freeze function*
- *Transparent drawers and flip covers*
- *Zero clearance*
- *Low noise*
- *Easy open handle(optional)*

Single Door(Upright)





HS-306L(N) & BC235

Climate	ST/N
Energy Class	A++
Net Volume	235L
Dimension(W×D×H)(mm)	550*550*1420
Load Capacity	(20GP/40GP/40HQ): 56/112/144





BD/BC-196UMA

Climate	ST/N/SN
Energy Class	A
Net Volume	196L
Dimension(W×D×H)(mm)	550x570x1430
Load Capacity	(20GP/40GP/40HQ): 56/112/140





HS-247L & BC190

Climate	ST/N/SN
Energy Class	A
Net Volume	190L(R:173L,F:17L)
Dimension(W×D×H)(mm)	520x540x1246
Load Capacity	(20GP/40GP/40HQ): 58/120/166

Single Door(Upright)



HS-208F(N) & BD160

Climate	ST/N/SN
Energy Class	A+
Net Volume	160L
Dimension(W×D×H)(mm)	550*550*1420
Load Capacity	(20GP/40GP/40HQ): 56/112/144



HS-208L(N) & BC160

Climate	ST/N/SN
Energy Class	A
Net Volume	158L(R:141L, F:17L)
Dimension(W×D×H)(mm)	501x540x1375
Load Capacity	(20GP/40GP/40HQ): 80/168/168

Single Door(SOLO Compact)

HS-65L(N)&BC50 SOLO

Climate	T/ST/N
Energy Class	A+
Net Volume	47L
Dimension(W×D×H)(mm)	480*446*506
Load Capacity	(20GP/40GP/40HQ): 220/460/573



- ***Separated chiller compartment***
- ***Adjustable leg***
- ***Energy saving***





Single Door(SOLO Compact)

HS-121L(N)&BC93 SOLO

Climate	T/ST/N
Energy Class	A+
Net Volume	93L
Dimension(W×D×H)(mm)	488x440x835
Load Capacity	(20GP/40GP/40HQ): 140/298/344



- ***Separated chiller compartment***
- ***Adjustable leg***
- ***Energy saving***
- ***Light optional***



Single Door(Freezer Compact)



HS-52F(N)&BD40

Climate	ST/N
Energy Class	A++
Net Volume	31L
Dimension(W×D×H)(mm)	472*450*492
Load Capacity	(20GP/40GP/40HQ): 220/460/609



HS-78FN&BD60

Climate	ST/N
Energy Class	A+
Net Volume	60L
Dimension(W×D×H)(mm)	472*446*845
Load Capacity	(20GP/40GP/40HQ): -/-/364



HS-108FN&BD83

Climate	ST/N
Energy Class	A+
Net Volume	83L
Dimension(W×D×H)(mm)	553*574*845
Load Capacity	(20GP/40GP/40HQ): 95/203/236

Single Door(Compact)





HS-65L(N)&BC50

Climate	T/ST/N
Energy Class	A
Net Volume	43L
Dimension(W×D×H)(mm)	472*450*492
Load Capacity	(20GP/40GP/40HQ): 220/460/609





HS-87L(N)&BC67

Climate	T/ST/N
Energy Class	A
Net Volume	65L
Dimension(W×D×H)(mm)	445*510*630
Load Capacity	(20GP/40GP/40HQ): 162/330/439





HS-121L(N)&BC93

Climate	T/ST/N
Energy Class	A
Net Volume	93L
Dimension(W×D×H)(mm)	472*450*850
Load Capacity	(20GP/40GP/40HQ): 140/298/364

Single Door(Compact)



HS-104L(N)&BC80

Climate	T/ST/N
Energy Class	A++
Net Volume	80L
Dimension(W×D×H)(mm)	472*446*845
Load Capacity	(20GP/40GP/40HQ): -/-/364



HS-112LN&BC86

Climate	T/ST/N
Energy Class	A+
Net Volume	85L
Dimension(W×D×H)(mm)	445*425*845
Load Capacity	(20GP/40GP/40HQ): 130/270/400



HS-125L(N)&BC96

Climate	T/ST/N
Energy Class	A++
Net Volume	93L
Dimension(W×D×H)(mm)	472*446*864
Load Capacity	(20GP/40GP/40HQ): 140/298/364



Product Introduction
Chest Freezer

Road Map - (Chest Freezer)

Nofrost



BD181
175L 6.18cu.ft
816*550*850 mm
Energy Class: A
Loading Qty(40HQ):115



BD231
234L 8.26cu.ft
985*600*850 mm
Energy Class: A
Loading Qty(40HQ): 96



BD281
270L 9.53cu.ft
1065*592*844 mm
Energy Class: A
Loading Qty(40HQ): 94

Deep Freeze -30℃
100 Hours Frozen-Sharing
Big Freeze Capacity

Sliding Glass Door



BD194
191L 6.75cu.ft
945*535*850 mm
Energy Class: Iraq B
Loading QTY(40HQ): 144



BD197
194L 6.85cu.ft
816*550*850 mm
Energy Class: A
Loading QTY(40HQ): 166



BD297
294L 10.38cu.ft
1065*592*844 mm
Energy Class: Ghana 2 stars / South Africa A / CIV 5 stars
Loading QTY(40HQ): 118



BD352
362L 12.78cu.ft
1255*745*853 mm
Energy Class: A / Iraq B / CIV 5 stars
Loading QTY(40HQ): 77

Sliding Glass Door

Fast Freezing



BD302KEM
293L 10.35cu.ft
1065*592*871 mm
Energy Class: A
Loading Qty(40HQ):118



BD428DKEM
418L 14.76cu.ft
1415*730*855 mm
Energy Class: A
Loading Qty(40HQ):70



BD519DKEM
508L 17.94cu.ft
1415*730*855 mm
Energy Class: A
Loading Qty(40HQ):55



BD718DKEM
704L 24.86cu.ft
2110*791*854 mm
Energy Class: A
Loading Qty(40HQ):42

Deep Freeze -40℃
Glass Door /Flawless Appearance
Accurate temperature control

Sky Create



BD102EMR
99L 3.50cu.ft
540*505*845 mm
Energy Class: A
Loading Qty(40HQ):272



BD146EMR
142L 5.01cu.ft
628*565*845 mm
Energy Class: A
Loading Qty(40HQ):214



BD203EMR
198L 6.99cu.ft
816*565*845 mm
Energy Class: A
Loading Qty(40HQ):166

Deep Freeze -40℃
Accurate temperature control
Flawless Appearance

Time



BD102KGEMT(E)
99L 3.50cu.ft
540*505*845 mm
Energy Class: A
Loading Qty(40HQ):199



BD142KGEMT(E)
142L 5.01cu.ft
628*560*845 mm
Energy Class: A
Loading Qty(40HQ):151



BD202KGEM
198L 6.99cu.ft
816*565*845 mm
Energy Class: A
Loading Qty(40HQ):115

Deep Freeze -30℃
Flawless Appearance

Silver Door



BD143
142L 5.01cu.ft
632*550*850 mm
Energy Class: A
Loading Qty(40HQ): 166



BD197
198L 6.99cu.ft
816*550*850 mm
Energy Class: A
Loading Qty(40HQ): 166



BD297
294L 10.38cu.ft
1065*592*844 mm
Energy Class: Ghana 2 stars / South Africa A / CIV 5 stars
Loading QTY(40HQ): 118



BD352
362L 12.78cu.ft
1255*745*853 mm
Energy Class: A / Iraq B / CIV 5 stars
Loading Qty(40HQ): 77

Silver Door

Electronic Control



BD102E
99L 3.50cu.ft
547*446*850 mm
Energy Class: New ERP E
Loading Qty(40HQ): 310



BD146E
143L 5.05cu.ft
600*560*850 mm
Loading Qty(40HQ): 225
Energy Class: New ERP E(SN/N/ST/T)



BD202E
198L 6.99cu.ft
770*560*850 mm
Energy Class: New ERP E(SN/N/ST/T)
Loading Qty(40HQ): 166



BD249E
249L 8.79cu.ft
985*600*850 mm
Energy Class: New ERP E
Loading Qty(40HQ):125



BD300E
293L 10.35cu.ft
1060*590*845 mm
Energy Class: New ERP E
Loading Qty(40HQ):118



BD418E
418L 14.76cu.ft
1416*750*825 mm
Energy Class : A+ / New ERP E / SASO C / Iraq B / Oman D / UAE 1 star / CIV 5 stars
Loading Qty(40HQ):70

Inverter
Deep Freeze -30℃
Accurate temperature control

Mechanical Control



BD102
99L 3.50cu.ft
547*446*850 mm
Energy Class : A+ / SASO D / Kuwait D/ Oman D / Ghana 3 stars / UAE 1 star New ERP E / Kenya 3 stars / CIV 5 stars
Loading Qty(40HQ):310



BD146
143L 5.05cu.ft
600*560*850 mm
Energy Class : A+ / New ERP E /SASO D / Kuwait D /Oman D/ UAE 1star / CIV 5stars / Kenya 3 stars / South Africa A / Ghana 3 stars
Loading Qty(40HQ):225



BD202
198L 6.99cu.ft
770*560*850 mm
Energy Class : A+ / New ERP E / SASO D / Iraq B / UAE 1star / CIV 5 stars / Kuwait D / Oman D / Kenya 3 stars / South Africa A+ / Ghana 3 stars
Loading Qty(40HQ):177



BD249
249L 8.19cu.ft
985*600*850 mm
Energy Class : A+ / New ERP E / Kuwait D / Oman E / UAE 1star / South Africa A+ / Kenya 3 stars / CIV 5 stars / Ghana 3 stars
Loading Qty(40HQ):125



BD300
293L 10.35cu.ft
1065*592*844 mm
Energy Class : A+ / New ERP E / SASO D / UAE 1star / Oman E / CIV 5 stars / Ghana 3 stars
Loading Qty(40HQ):118



BD368
362L 12.78cu ft.
1255*745*825mm
Energy Class: A+
Loading Qty(40HQ): 77

Inverter
New Appearance
&
Basic



BD418
418L 14.76cu.ft
1416*750*825 mm
Loading Qty(40HQ): 70
Energy Class : A+ / Kuwait D / Oman E / UAE 1star / CIV 5stars / Ghana 2stars



BD521
508L 17.94cu.ft
1530*735*875 mm
Loading Qty(40HQ): 65
Energy Class : A / New ERP E / SASO C / Kuwait C / Oman D / UAE 1 star



BD718
702L 24.79cu.ft
2110*795*805 mm
Loading Qty(40HQ): 42
Energy Class : A / SASO E / UAE 2 stars

Basic

Chest Freezer - Nofrost



BD181

Climate	T/ST/N/SN
Energy Class	A
Net Volume	175L
Dimension(W×D×H)(mm)	816*550*850
Load Capacity (40HQ)	115



BD231

Climate	T/ST/N/SN
Energy Class	A
Net Volume	234L
Dimension(W×D×H)(mm)	985*600*850
Load Capacity (40HQ)	96



BD281

Climate	T/ST/N/SN
Energy Class	A
Net Volume	270L
Dimension(W×D×H)(mm)	1065*592*844
Load Capacity (40HQ)	94

- ***No Frost***
- ***Inverter***
- ***Full Temperature Zone: -30 -10℃(at 16℃)***
- ***100 Hours Frozen-Sharing***
- ***Operates Reliably At -15℃***
- ***High temperature alarm***
- ***D+ Quick-Freezing System***
- ***White inner***
- ***Multi-angle hover door***
- ***Handle/Lock(option)***



Chest Freezer - Sliding Glass Door



BD194

Climate	T
Energy Class	Iraq B
Net Volume	191L
Dimension(W×D×H)(mm)	945*535*850
Load Capacity (40HQ)	144

- *Removable Storage Basket*
- *Adjustable Thermostat*
- *Easy To Clean Interior*
- *Sliding Glass Door (Option)*
- *Rollers (Optional)*
- *LED Light(Optional)*
- *Lock(Optional)*
- *Grip/Recessed Handle (Optional)*
- *White Inner (Optional)*



BD197

Climate	T
Energy Class	A
Net Volume	194L
Dimension(W×D×H)(mm)	816*550*850
Load Capacity (40HQ)	166

- *Cooling/Freezing Convertible*
- *Inner + external condenser*
- *Grip Handle with Lock*
- *LED light*
- *White liner (Option)*
- *Sliding Glass Door (Option)*
- *Silver Door + Grey Cabinet (Option)*



BD297

Climate	T
Energy Class	Ghana 2-stars
Net Volume	290L
Dimension(W×D×H)(mm)	1065*592*844
Load Capacity (40HQ)	118

- *Cooling/Freezing Convertible*
- *Inner + external condenser*
- *Grip Handle with Lock*
- *LED light*
- *White liner (Option)*
- *Sliding Glass Door (Option)*
- *Silver Door + Grey Cabinet (Option)*



BD352

Climate	T
Energy Class	A
Net Volume	340L
Dimension(W×D×H)(mm)	1255*745*853
Load Capacity (40HQ)	81

- *Cooling/Freezing Convertible*
- *Inner + external condenser*
- *Grip Handle with Lock*
- *White liner*
- *Sliding Glass Door (Option)*
- *Silver Door + Grey Cabinet (Option)*

- *Sliding Glass Door Option*





Chest Freezer - Glass door



BD100KGEM

Climate	T/ST/N/SN
Energy Class	A
Net Volume	99L
Dimension(W×D×H)(mm)	545*510*850
Load Capacity (40HQ)	199



BD142KGEM

Climate	T/ST/N/SN
Energy Class	A
Net Volume	142L
Dimension(W×D×H)(mm)	628*560*845
Load Capacity (40HQ)	151



BD203KGEM

Climate	T/ST/N/SN
Energy Class	A
Net Volume	198L
Dimension(W×D×H)(mm)	816*565*845
Load Capacity (40HQ)	115



BD302KGEM

Climate	T/ST/N/SN
Energy Class	A
Net Volume	293L
Dimension(W×D×H)(mm)	1065*592*871
Load Capacity (40HQ)	94

- ***Glass Door***
- ***Full Temperature Zone: -40 -10℃ (at 16℃)***
- ***Precise Temperature Control (Electrical)***
- ***100 Hours Frozen-Sharing***
- ***D+ Quick-Freezing System***
- ***Operates Reliably At -15℃***
- ***Low noise***
- ***Easy-to-clean glass door***
- ***Precise Storage Management***
- ***White inner***







Chest Freezer - Deep Freezer



BD302KEM

Climate	T/ST/N/SN
Energy Class	A
Net Volume	293L
Dimension(W×D×H)(mm)	1065*592*871
Load Capacity (40HQ)	118



BD428DKEM

Climate	T/ST/N/SN
Energy Class	A
Net Volume	418L
Dimension(W×D×H)(mm)	1415*730*855
Load Capacity (40HQ)	70



BD519DKEMZ

Climate	T/ST/N/SN
Energy Class	A
Net Volume	508L
Dimension(W×D×H)(mm)	1530*735*900
Load Capacity (40HQ)	55



BD718DKEM

Climate	T/ST/N/SN
Energy Class	A
Net Volume	704L
Dimension(W×D×H)(mm)	2110*791*854
Load Capacity (40HQ)	42

- ***Full Temperature Zone: -40 -10℃(at 25℃)***
- ***150 Hours Frozen-Sharing***
- ***Fast Freeze Refrigerant (R290)***
- ***High temperature alarm***

- ***Big Volume***
- ***Big Freeze Capacity***
- ***White inner***
- ***Operates Reliably At -15℃***
- ***Precise Temperature Control***







Chest Freezer - Sky Create Series



BD102EMR

Climate	T/ST/N/SN
Energy Class	A
Net Volume	99L
Dimension(W×D×H)(mm)	540*505*845
Load Capacity（40HQ)	272



BD146EMR

Climate	T/ST/N/SN
Energy Class	A
Net Volume	142L
Dimension(W×D×H)(mm)	628*565*845
Load Capacity（40HQ)	214



BD203EMR

Climate	T/ST/N/SN
Energy Class	A
Net Volume	198L
Dimension(W×D×H)(mm)	816*565*845
Load Capacity（40HQ)	166

- ***Full Temperature Zone：-40 -10℃ (at 16℃)***
- ***Flawless Appearance***
- ***D+ Quick-Freezing System***
- ***Full Temperature Zone：-40 -10℃ (at 16℃)***
- ***Multi-angle hover door***

- ***Operates Reliably At -15℃***
- ***White PCM inner***
- ***Low noise***
- ***100 Hours Frozen-Sharing***







Chest Freezer - Time Series



BD102KGEMT(E)

Climate	T/ST/N/SN
Energy Class	A
Net Volume	99L
Dimension(W×D×H)(mm)	540*505*845
Load Capacity（40HQ)	199

- ***Deep Freeze -30℃***
- ***Flawless Appearance***
- ***D+ Quick-Freezing System***
- ***Operates Reliably At -15℃***



BD142KGEMT(E)

Climate	T/ST/N/SN
Energy Class	A
Net Volume	142L
Dimension(W×D×H)(mm)	628*565*845
Load Capacity（40HQ)	151

- ***100 Hours Frozen-Sharing***
- ***Multi-angle hover door***
- ***White inner***
- ***Low noise***



BD202KGEM

Climate	T/ST/N/SN
Energy Class	A
Net Volume	198L
Dimension(W×D×H)(mm)	816*565*845
Load Capacity（40HQ)	115







Chest Freezer - Silver Door Series



BD143

Climate	T
Energy Class	A
Net Volume	142L
Dimension(W×D×H)(mm)	632*550*850
Load Capacity (40HQ)	214

- *Cooling/Freezing Convertible*
- *Inner + external condenser*
- *Grip Handle with Lock*
- *LED light*
- *White liner (Option)*
- *Silver Door + Grey Cabinet (Option)*



BD197

Climate	T
Energy Class	A
Net Volume	198L
Dimension(W×D×H)(mm)	816*550*850
Load Capacity (40HQ)	166

- *Cooling/Freezing Convertible*
- *Inner + external condenser*
- *Grip Handle with Lock*
- *LED light*
- *White liner (Option)*
- *Sliding Glass Door (Option)*
- *Silver Door + Grey Cabinet (Option)*



BD297

Climate	T
Energy Class	A
Net Volume	294L
Dimension(W×D×H)(mm)	1065*592*844
Load Capacity (40HQ)	118

- *Cooling/Freezing Convertible*
- *Inverter compressor*
- *Inner + external condenser*
- *Grip Handle with Lock*
- *LED light*
- *White liner (Option)*
- *Sliding Glass Door (Option)*
- *Silver Door + Grey Cabinet (Option)*



BD352

Climate	T
Energy Class	A
Net Volume	362L
Dimension(W×D×H)(mm)	1255*745*853
Load Capacity (40HQ)	81

- *Cooling/Freezing Convertible*
- *Inner + external condenser*
- *Grip Handle with Lock*
- *White liner*
- *Sliding Glass Door (Option)*
- *Silver Door + Grey Cabinet (Option)*

- *Silver Door + Grey Cabinet Option*



04 Specs & Line-up-*Mechanical Inverter*



BD102

Climate	T/ST/N/SN
Energy Class	A
Net Volume	99L
Dimension(W×D×H)(mm)	547*446*850
Load Capacity（40HQ)	310



BD146

Climate	T/ST/N/SN
Energy Class	A
Net Volume	143L
Dimension(W×D×H)(mm)	600*560*850
Load Capacity（40HQ)	225



BD202

Climate	T/ST/N/SN
Energy Class	A
Net Volume	198L
Dimension(W×D×H)(mm)	770*560*850
Load Capacity（40HQ)	177



BD249

Climate	T/ST/N/SN
Energy Class	A
Net Volume	249L
Dimension(W×D×H)(mm)	985*600*850
Load Capacity（40HQ)	125



BD300

Climate	T/ST/N/SN
Energy Class	A
Net Volume	293L
Dimension(W×D×H)(mm)	1065*592*844
Load Capacity（40HQ)	118



BD368

Climate	T/ST/N/SN
Energy Class	A+
Net Volume	359L
Dimension(W×D×H)(mm)	1255*745*825
Load Capacity（40HQ)	77



- ***Inverter compressor***
- ***High Loading Quantity***
- ***Silent Hinge***
- ***100 Hours Frozen-Sharing***
- ***Operates Reliably At -15℃***
- ***Low noise***
- ***Multi-angle hover door***
- ***D+ Quick-Freezing System***
- ***Black Color(Option)***

(100L/150L/200L/300L)



04 Specs & Line-up-*Electronical Inverter*



BD102E

Climate	T/ST/N/SN
Energy Class	A
Net Volume	99L
Dimension(W×D×H)(mm)	547*446*850
Load Capacity（40HQ)	310



BD249E

Climate	T/ST/N/SN
Energy Class	A
Net Volume	249L
Dimension(W×D×H)(mm)	985*600*850
Load Capacity（40HQ)	125



BD146E

Climate	T/ST/N/SN
Energy Class	A
Net Volume	143L
Dimension(W×D×H)(mm)	600*560*850
Load Capacity (40HQ)	225



BD300E

Climate	T/ST/N/SN
Energy Class	A
Net Volume	293L
Dimension(W×D×H)(mm)	1065*592*844
Load Capacity（40HQ)	118



BD202E

Climate	T/ST/N/SN
Energy Class	A
Net Volume	198L
Dimension(W×D×H)(mm)	770*560*850
Load Capacity（40HQ)	177



BD418E

Climate	T/ST/N/SN
Energy Class	A+
Net Volume	418L
Dimension(W×D×H)(mm)	1416*750*825
Load Capacity（40HQ)	70



- *Inverter compressor*
- *High Loading Quantity*
- *Silent Hinge*
- *Electronic control with Accurate temperature display*
- *10℃ ~ -30 ℃ Temperature Range*
- *Super Freezing Mode*
- *Power failure memory*
- *100 Hours Frozen-Sharing*
- *Operates Reliably At -15℃*
- *Low noise*
- *Multi-angle hover door*
- *D+ Quick-Freezing System*
- *Grey Color Option For(100L/150L/200/300l)*



04 Specs & Line-up-*Mechanical General*



HS-324CN & BD249

Climate	T/ST/N/SN
Energy Class	A+
Net Volume	249L
Dimension (W*D*H) (mm)	985*600*850
Loading Qty(40HQ)	125



HD-677C & BD521

Climate	T/ST
Energy Class	A
Net Volume	508L
Dimension (W*D*H) (mm)	1530*735*875
Loading Qty(40HQ)	65



HD-478CN & BD368

Climate	T/ST/N/SN
Energy Class	A+
Net Volume	359L
Dimension (W*D*H) (mm)	1256*750*825
Loading Qty(40HQ)	77



HD-739C & BD568

Climate	T/ST
Energy Class	A
Net Volume	560L
Dimension (W*D*H) (mm)	1870*745*805
Loading Qty(40HQ)	50



HS-543CN & BD418

Climate	T/ST/N/SN
Energy Class	A+
Net Volume	418L
Dimension (W*D*H) (mm)	1416*750*825
Loading Qty(40HQ)	70



HD-933C & BD718

Climate	T/ST
Energy Class	A
Net Volume	702L
Dimension (W*D*H) (mm)	2110*795*805
Loading Qty(40HQ)	42

Features

- *Adjustable thermostat*
- *Removable storage basket*
- *Easy rolling wheels*
- *Removable gasket*
- *Lock (optional)*
- *Easy to clean interior (optional)*
- *Grip and recessed handle (optional)*

Midea Showcase Series

Midea Refrigeration Division

Road Map – (Showcase)

Fan cooling

No Frost

Vertical Showcase



SC-216
211L 7.45cu.ft / 91pcs
520*610*1747 mm



SC-316
309L 10.91cu.ft / 72pcs
595*610*2005 mm



SC-226
211L 7.45cu.ft / 97pcs
520*598*1494 mm



SC-326
309L 10.91cu.ft / 72pcs
595*598*1752 mm



SC-256L
235L 8.30cu.ft / 91pcs
520*610*1747 mm



SC-386
386L 13.63cu.ft / 71pcs
595*695*1925 mm



SC-416
416L 14.69cu.ft / 47pcs
690*695*2185 mm



SC-256
235L 8.30cu.ft / 97pcs
520*610*1494 mm



SC-456
460L 16.24cu.ft / 62pcs
690*695*1892 mm



SC-756
662L 23.38cu.ft / 52pcs
1000*630*1951 mm



SC-1256
1300L 45.91cu.ft / 25pcs
1290*735*2150 mm

Inverter

Horizontal Showcase



SD/SC109
100L 3.53cu.ft / 272pcs
545*495*835 mm



SD/SC209
199L 7.03cu.ft / 166pcs
817*550*835 mm



SD/SC109EX
100L 3.53cu.ft / 272pcs
545*495*835 mm



SD/SC209EX
199L 7.03cu.ft / 166pcs
817*550*835 mm



SD/SC309
295L 10.42cu.ft / 118pcs
1065*592*835 mm



SD/SC339
339L 11.97cu.ft / 97pcs
1020*705*870 mm



SD/SC439
439L 15.50cu.ft / 81pcs
1240*705*870 mm



SD/SC539
539L 19.03cu.ft / 66pcs
1510*705*870 mm



SD/SC686
686L 24.23cu.ft / 39pcs
1825*815*900 mm



SD/SC716
716L 25.29cu.ft /39pcs
1825*815*900 mm

Showcase – Fan Cooling Series



SC-216

Climate	T
Total Storage Volume(L)	216
Dimension (W*D*H) (mm)	520*610*1747
Bottles Capacity(330ml)	204
Loading Qty(40HQ)	91



SC-226

Climate	T
Total Storage Volume(L)	216
Dimension (W*D*H) (mm)	520*598*1494
Bottles Capacity(330ml)	204
Loading Qty(40HQ)	97

Features for SC-216/226

- *Patented micro-channel condenser improves refrigeration efficiency*
- *360° air cooling*
- *Independent lighting control system*
- *Double-layer tempered glass door*
- *HIPS interior*
- *Top LED spotlight*
- *3 Adjustable shelves*
- *Front hot air blowing to reduce condensation optional*
- *Low-E glass optional*



SC-316

Climate	T
Total Storage Volume(L)	316
Dimension (W*D*H) (mm)	595*610*2005
Bottles Capacity(330ml)	356
Loading Qty(40HQ)	54



SC-326

Climate	T
Total Storage Volume(L)	316
Dimension (W*D*H) (mm)	595*598*1752
Bottles Capacity(330ml)	356
Loading Qty(40HQ)	72

Features for SC-316/326

- *Patented micro-channel condenser improves refrigeration efficiency*
- *360° air cooling*
- *Independent lighting control system*
- *Double-layer tempered glass door*
- *HIPS Interior*
- *Top LED spotlight*
- *4 Adjustable shelves*
- *Inverter fast cooling optional*
- *Front hot air blowing to reduce condensation optional*
- *Low-E glass optional*

Showcase – No Frost Series

Inverter (optional)



SC-256L

Climate	T
Total Storage Volume(L)	216
Dimension (W*D*H) (mm)	520*610*1747
Bottles Capacity(330ml)	276
Loading Qty(40HQ)	91

Features for SC-256/256L
- *Energy saving*
- *Silent centrifugal fan*
- *Patented micro-channel condenser improves refrigeration efficiency*
- *Independent lighting control system*
- *Double-layer tempered glass door*
- *HIPS Interior*

Inverter (optional)



SC-256

Climate	T
Total Storage Volume(L)	216
Dimension (W*D*H) (mm)	520*610*1494
Bottles Capacity(330ml)	276
Loading Qty(40HQ)	97

- *Top LED spotlight*
- *3 Adjustable shelves*
- *Simple electronic temperature control*
- *Inverter fast cooling optional*
- *Front hot air blowing to reduce condensation optional*
- *Low-E glass optional*



SC-386

Climate	T
Total Storage Volume(L)	386
Dimension (W*D*H) (mm)	595*695*1925
Bottles Capacity(330ml)	441
Loading Qty(40HQ)	71

Features
- *Patented micro-channel condenser improves refrigeration efficiency*
- *360° air cooling*
- *Curved bottom, increased capacity and display area*
- *Independent lighting control system*
- *Double-layer tempered glass door*
- *HIPS Interior*
- *4 Adjustable shelves*
- *Simple electronic temperature control*
- *Inverter fast cooling*
- *Side light LED inner box optional*
- *Low-E glass optional*

Inverter (optional)



SC-416

Climate	T
Total Storage Volume(L)	416
Dimension (W*D*H) (mm)	690*695*2185
Bottles Capacity(330ml)	432
Loading Qty(40HQ)	47

Features
- *Patented micro-channel condenser improves refrigeration efficiency*
- *Independent lighting control system*
- *Double-layer tempered glass door*
- *HIPS Interior*
- *Top LED spotlight*
- *4 Adjustable shelves*
- *Simple electronic temperature control optional*
- *Inverter fast cooling optional*
- *Front hot air blowing to reduce condensation optional*
- *Low-E glass optional*
- *Side light LED inner box optional*

Showcase – No Frost Series

Inverter (optional)



SC-456

Climate	T
Total Storage Volume(L)	416
Dimension (W*D*H) (mm)	690*695*1892
Bottles Capacity(330ml)	432
Loading Qty(40HQ)	62

Features

- *Patented micro-channel condenser improves refrigeration efficiency*
- *Independent lighting control system*
- *Double-layer tempered glass door*
- *HIPS Interior*
- *Top LED spotlight*
- *4 Adjustable shelves*
- *Simple electronic temperature control optional*
- *Inverter fast cooling optional*
- *Front hot air blowing to reduce condensation optional*
- *Low-E glass optional*
- *Side light LED inner box optional*

Ready in Feb, 2026

Inverter



SC-756

Climate	T
Total Storage Volume(L)	630
Dimension (W*D*H) (mm)	1000*630*1915
Bottles Capacity(330ml)	715
Loading Qty(40HQ)	52

Features

- *Inverter fast cooling*
- *Energy saving*
- *Patented micro-channel condenser improves refrigeration efficiency*
- *Independent lighting control system*
- *Double-layer tempered glass door*
- *HIPS Interior*
- *Top LED spotlight*
- *4 Adjustable shelves*
- *electronic temperature control*
- *Low-E glass optionalFront hot air blowing to reduce condensation optional* ***(Ready in May, 2026)***
- *Side light LED optional*

Ready in Feb, 2026



SC-1256

Climate	T
Total Storage Volume(L)	1190
Dimension (W*D*H) (mm)	1290*735*2150
Bottles Capacity(330ml)	1300
Loading Qty(40HQ)	25

Features

- *No Frost system*
- *Curved bottom, increased capacity and display area*
- *Double-sided LED lights*
- *DC silent fan*
- *Double-layer tempered glass door*
- *HIPS Interior*
- *Top LED spotlight*
- *4*2 Adjustable shelves*
- *Electronic temperature control*
- *Low-E glass optional*
- *Side light LED optional*

Chest Showcase – Flat Glass Door Series



SD/SC-109

Climate	T
Total Storage Volume(L)	82
Dimension (W*D*H) (mm)	545*495*835
Loading Qty(40HQ)	272

Features

- *Refrigeration10~-2℃ or freezing -8 ~ -26℃*
- *D-Type tube, fast cooling, more efficient*
- *Tempered glass door with low-e*
- *Removable plastic storage basket, Standard with one*
- *2 left adjustable feet & 2 right chamfer*
- *4 universal casters optional*
- *White inner liner optional*
- *Customized body sticker optional*

Inverter



SD/SC109EX

Climate	T
Total Storage Volume(L)	82
Dimension (W*D*H) (mm)	545*495*835
Loading Qty(40HQ)	272

Features

- *Inverter wide voltage, fast cooling and energy saving(110~127V/60Hz 220~240V 50/60Hz)*
- *Refrigeration or freezing, 10 ~ -26℃*
- *Electronic temperature control*
- *D-Type tube, fast cooling, more efficient*
- *Tempered glass door with low-e*
- *Removable plastic storage basket, Standard with one*
- *2 left adjustable feet & 2 right chamfer*
- *4 universal casters optional*
- *White inner liner optional*
- *Customized body sticker optional*

Chest Showcase – Flat Glass Door Series



SD/SC-209

Climate	T
Total Storage Volume(L)	167
Dimension (W*D*H) (mm)	817*550*835
Loading Qty(40HQ)	166

Features

- *Refrigeration10~-2℃ or freezing -8 ~ -26℃*
- *D-Type tube, fast cooling, more efficient*
- *Tempered glass door with low-e*
- *Removable plastic storage basket, Standard with one*
- *2 left adjustable feet & 2 right chamfer*
- *4 universal casters optional*
- *White inner liner optional*
- *Customized body sticker optional*

Inverter



SD/SC209EX

Climate	T
Total Storage Volume(L)	167
Dimension (W*D*H) (mm)	817*550*835
Loading Qty(40HQ)	166

Features

- *Inverter wide voltage, fast colling and energy saving (110~127V/60Hz 220~240V 50/60Hz)*
- *Refrigeration or freezing, 10 ~ -26℃*
- *Electronic temperature control*
- *D-Type tube, fast cooling, more efficient*
- *Tempered glass door with low-e*
- *Removable plastic storage basket, Standard with one*
- *2 left adjustable feet & 2 right chamfer*
- *4 universal casters optional*
- *White inner liner optional*
- *Customized body sticker optional*



SD/SC-309

Climate	T
Total Storage Volume(L)	246
Dimension (W*D*H) (mm)	1065*592*835
Loading Qty(40HQ)	118

Features

- *Refrigeration10~-2℃ or freezing -8 ~ -26℃*
- *D-Type tube, fast cooling, more efficient*
- *Tempered glass door with low-e*
- *Removable plastic storage basket, Standard with one*
- *2 left adjustable feet & 2 right chamfer*
- *4 universal casters optional*
- *White inner liner optional*
- *Customized body sticker optional*

Chest Showcase – Curved Glass Door Series

Inverter



SD/SC-339

Climate	T
Total Storage Volume(L)	256
Dimension (W*D*H) (mm)	1020*705*870
Loading Qty(40HQ)	97

Inverter



SD/SC439

Climate	T
Total Storage Volume(L)	320
Dimension (W*D*H) (mm)	1240*705*870
Loading Qty(40HQ)	81

Inverter

Ready in Jan, 2026



SD/SC-539

Climate	T
Total Storage Volume(L)	405
Dimension (W*D*H) (mm)	1510*705*870
Loading Qty(40HQ)	66

Features

- *Inverter, fast cooling and energy saving*
- *Large display frame design*
- *Refrigeration10~-30℃(misoperation protection)*
- *-30℃ cryogenic quick-freezing, 5-side surrounded cooling faster and more uniform*
- *Large volume and loading quantity, curved bottom ultra-thin design*
- *Double condenser double protection*
- *Tempered glass door with low-e*
- *Removable storage baskets, Standard with two*
- *Electronic temperature control*
- *White inner liner*
- *LED Lamp inside the box*

- *Customizable body sticker optional*
- *Odorless throughout the space optional*
- *LED lighting strip optional*
- *Sticky price tags optional*

Chest Showcase – Combination Cabinet Series



SD-686

Climate	T
Total Storage Volume(L)	516
Dimension (W*D*H) (mm)	1825*815*900
Loading Qty(40HQ)	26

Features

- ***Micro-arc large display glass design***
- ***freezing -15 ~ -30℃***
- ***Cooling faster - Patented microchannel condenser & 5-side surrounded cooling***
- ***Double condenser double protection***
- ***Tempered glass door with low-e***
- ***Removable storage baskets, Standard with six, 4 ordinary steel wires+2 Encrypted mesh basket***
- ***Electronic temperature control***
- ***2 universal casters & 2 universal casters with brakes***
- ***White inner liner***
- ***LED Lamp inside the box***
- ***Crypto Basket optional***
- ***Customizable body sticker optional***



SD-716

Climate	T
Total Storage Volume(L)	534
Dimension (W*D*H) (mm)	1825*815*900
Loading Qty(40HQ)	26



Combination

Midea Ice maker Series

Midea Refrigeration Division

Bullet Ice Maker

CE-BJ12B01QB



Daily Ice Production	12kg(26.5lbs)
Ice Cube Size	8pcs*(24*33/23*32)mm
Dimension (W*D*H) (mm)	213.4*291.4*295
Ice Storage Capacity	1lbs/453g
Water Capacity	1.3L
Ice Making Time	6min/cycle
Control Type	Electronic
Loading Q'ty	6ASTD 40HQ/2409pcs



Polar White



Rock gray



Obsidian Black

Features:

- ***Fast-ice making***
- ***2 Size of bullet ice***
- ***Auto-shut off***
- ***Ice full indication***
- ***Digital display***
- ***Auto cleaning***
- ***Removable basket***
- ***Ice scoop included***

HBJ-15D16E



Daily Ice Production	15kg(33lbs)
Ice Cube Size	9pcs
Dimension (W*D*H) (mm)	226*283*300
Ice Storage Capacity	0.88lbs/400g
Water Capacity	1.1L
Ice Making Time	8~10min/cycle
Control Type	Electronic
Loading Q'ty	6ASTD 40HQ/2800pcs



Polar White



Black



PRODUCTION INTRODUCTION FOR 2026

WINE COOLER

Road Map – (Wine/Beverage Cooler)

Freestanding



JC49
14B / 560pcs
470*440*495 mm
Energy Class: G



JC69
24B / 445pcs
470*440*640 mm
Energy Class: G



JC99
34B / 330pcs
470*440*845 mm
Energy Class: G



JC416
193B(Dual) / 72pcs
595*625*1825 mm
Energy Class: G

Built-under



JC18
6B / 672pcs
148*525*820 mm
Energy Class: G



JC58
16B / 342pcs
295*568*820 mm
Energy Class: G



JC60
19B / 308pcs
295*595*870 mm
Energy Class: G



JC135
46B / 171pcs
595*570*815mm
Energy Class: G

Built-in



JC53
18B / 270pcs
590*555*455 mm
Energy Class: F



JC83
24B / 213pcs
593*560*593 mm
Energy Class: F



JC113
29B / 162pcs
590*565*715 mm
Energy Class: F

Beverage Cooler



LC49
48Can / 560pcs
470*440*495 mm
Energy Class: E



LC99
131Can / 330pcs
470*440*845 mm
Energy Class: E

Midea

THANK YOU

